

Fiscal Affairs

Tuesday, October 13, 2026 5:30 PM

SASD District Administration Building, 123 Linden Street, Stroudsburg, PA 18360

1. MEETING OPENING

2. BUDGET

2.A. Maintenance Vehicle

2.B. Elementary Kitchens

2.C. Field Trip Costs

2.D. Act I Timeline

Speaker (s) : Dr.
VanBuskirk

2.E. 10 Year Plan

Speaker (s) : Dr.
Curry, Dr.
VanBuskirk, Ms.
Macchi, Raymond James

2.F. Other

2.G. Public Comment

3. BUILDINGS & GROUNDS

3.A. GESA RFQ

Speaker (s) : Dr. Curry

3.B. Other

3.C. Public Comment

4. ATHLETICS & ACTIVITIES

4.A. Other

4.B. Public Comment

5. PUBLIC RELATIONS

5.A. Other

5.B. Public Comment

6. ADJOURNMENT



Quote

09/04/2026

Project:

Stroudsburg SD- Morey ES- Equip

From:

Singer Equipment Company
Jim Burke
150 S. Twin Valley Rd.
Elverson, PA 19520-
800-422-8126
610-387-6463 (Contact)

Project Code: STROUDSB

Job Reference Number: 205975

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <https://www.singerequipment.com/policies/quote-terms-conditions> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer Equipment Company, Inc., ("Singer").

Item	Qty	Description	Sell	Sell Total
1	1 ea	SERVING COUNTER, COLD FOOD Vollrath Model No. R3895146 2-Series Affordable Portable™ Refrigerated Cold Food Pan with walnut woodgrain wrapper & lights, (bulbs not included), 120v/60/1-ph, with easy access fully enclosed clear acrylic Buffet NSF2 breath guard, 12" clearance, 46"W x 39-1/2"D x 35"H, with open storage base, 3-pan size, 6" deep stainless well, 1" drain, MTO-15 working days plus day for order entry, with locking casters, 120v/60/1-ph, NEMA 5-15P, UL, NSF, Made in USA, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 57(h) x 46(w) x 39.5(d)	\$8,560.14	\$8,560.14
	2 ea	NF39946 2-Series Affordable Portable™ Tray Slide, removable, non-folding, 46", 300 series stainless steel, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy)	\$803.21	\$1,606.42
ITEM TOTAL:				\$10,166.56
2	1 ea	HOT FOOD SERVING COUNTER / TABLE Vollrath Model No. T39769 2-Series Affordable Portable™ Hot Food Station Deluxe, (3) well, 46"W x 24"D x 35"H, with NSF2 certified cafeteria breath guard, enclosed base with sliding doors for storage, individual manual dial controls for each 480 watts thermoset sealed well (no spillage pans required), manifold drain, cherry woodgrain vinyl-clad 20	\$4,498.15	\$4,498.15

Item	Qty	Description	Sell	Sell Total
		gauge carbon steel base, (4) 4" swivel casters (2) braked, 120v/60/1-ph, 12 amps, cord with NEMA 5-15P, cULus, NSF, Made in USA, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 49(h) x 46(w) x 24(d)		
	1 ea	NF39946 2-Series Affordable Portable™ Tray Slide, removable, non-folding, 46", 300 series stainless steel, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy)	\$803.21	\$803.21
	1 ea	NF39846 (NS_10387211) 2-Series Affordable Portable™ Removable, Non-folding Cutting Board, 46", polyethylene, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy)	\$547.81	\$547.81
ITEM TOTAL:				\$5,849.17
3	1 ea	CASH REGISTER STAND Vollrath Model No. 37015 (NS_10280645) 4-Series Signature Server® with Stainless Steel Countertops, 34" high ADA Cashier Station, 28"W, 28"D, modular, without cashier drawer, operator side open with stainless steel floor, NSF (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 34(h) x 28(w) x 28(d)	\$1,700.42	\$1,700.42
				
	1 ea	1 year warranty against defects in materials & workmanship		
	1 st	SS4CASTERS 4-Series Signature Server® Swivel Casters, 4"H, (2) braked, standard		
	1 ea	STANDARD BLACK Black Laminate, standard, nc		
	1 ea	3752150-2-C 4-Series Signature Server® V-rib Tray Slide, for customer side, 28"W x 12"D, fold-down/lift-off brackets (Refer to vollrathfoodservice.com for full warranty policy)	\$571.72	\$571.72
	1 ea	Without cord cutouts		
ITEM TOTAL:				\$2,272.14
4	1 ea	DELIVERY Singer Equipment Company Model No. DELIVERY Singer Equipment to deliver, uncrate and set in place.	\$650.00	\$650.00
ITEM TOTAL:				\$650.00
Total				\$18,937.87

Prices Good Until: 10/04/2026

Prices are valid for 10 days unless otherwise noted herein, thereafter reconfirm.

In the event of an increase in U.S. published tariffs resulting in an increase of Singer's cost for Goods that are subject to a Proposal or an order by Customer, Singer may, prior to Customer's payment in full for such Goods, increase the price for such Goods by an amount equal to the increase of Singer's cost.

Unless otherwise noted herein, freight charges are NOT included.

Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

[See link to the Terms and Conditions, Return/Cancellation Section](#) for the return and cancellation terms applicable to this Quote.

[See link to the Terms and Conditions, Delivery Section](#), for delivery and shipping terms applicable to this Quote.

[See link to the Terms and Conditions, Scope of Work Section](#), for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. **Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept.** *By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

- B. Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts [the terms of the Quote and the Terms at https://www.singerequipment.com/policies/quote-terms-conditions](https://www.singerequipment.com/policies/quote-terms-conditions), which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, both of which I hereby ACCEPT.

WE ACCEPT ELECTRONIC SIGNATURES. *By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

Insert name
of customer: _____

By (signature): _____

Name (print): _____

Title (print): _____

Date: _____



Get Started Today!

Apply Now for Flexible Financing
with Singer Finance Powered by LEAF!

[Click Here to complete the application](#)

VOLLRATH®

Project:

Item Number:

Quantity:

AFFORDABLE PORTABLE™ REFRIGERATED COLD FOOD STATIONS



FEATURES & BENEFITS

- Station is constructed of vinyl-clad, 20-gauge carbon steel.
- Units utilize R290 refrigerant, which has a lower GWP (Global Warming Potential) than many previously-used refrigerants.
- Foamed-in-place polyurethane insulation provides efficiency and performance.
- NSF2 buffet or NSF2 cafeteria-style acrylic breath guard protects food from germs.
- Five colors options fit well with any design aesthetic.
- 1" (2.54 cm) integral drain makes cleanup easy.
- 8 ft (2.4 m) cord with plug allows placement options.
- Casters lock to ensure stability.

WARRANTY

All models shown come with Vollrath's standard warranty against defects in materials and workmanship, with an additional four years on the compressor. For full warranty details, please refer to vollrathfoodservice.com.

AGENCY LISTING



Due to continued product improvement, please consult vollrathfoodservice.com for current product specifications.

Approvals	Date


ITEMS

Description 120V	Solid Base		Solid Base w/ Lights		Open Storage Base		Open Storage w/ Lights		Storage Base w/ Door		Storage Base w/ Door & Lights	
With NSF2 Breath Guard	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria
Black												
3-Pan 46"	R38713	R39713	R3871346	n/a	R38714	R39714	R3871446	n/a	R38715	R39715	R3871546	n/a
4-Pan 60"	R38716	R39716	R3871660	n/a	R38717	R39717	R3871760	n/a	R38718	R39718	R3871860	n/a
Walnut Grain												
3-Pan 46"	R38950	R39950	R3895046	n/a	R38951	R39951	R3895146	n/a	R38952	R39952	R3895246	n/a
4-Pan 60"	R38960	R39959	R3896060	n/a	R38961	R39961	R3896160	n/a	R38962	R39962	R3896260	n/a
Cherry Grain												
3-Pan 46"	R38773	R39773	R3877346	n/a	R38774	R39774	R3877546	n/a	R38775	R39775	R3877546	n/a
4-Pan 60"	R38776	R39776	R3877660	n/a	R38777	39777	R3877860	n/a	R38778	R39778	R3877860	n/a
Granite												
3-Pan 46"	R38733	R39733	R3873346	n/a	R38734	R39734	R3873446	n/a	R38735	R39735	R3873546	n/a
4-Pan 60"	R38736	R39736	R3873660	n/a	R38737	R39737	R3873760	n/a	R38738	R39738	R3873860	n/a
Brushed Aluminum												
3-Pan 46"	R38733A	R39733A	R3873346A	n/a	R38734A	R39734A	R3873446A	n/a	R38735A	R39735A	R3873546A	n/a
4-Pan 60"	R38736A	R39736A	R3873660A	n/a	R38737A	R39737A	R3873760A	n/a	R38738A	R39738A	R3873860A	n/a


AFFORDABLE PORTABLE™ REFRIGERATED COLD FOOD STATIONS

DIMENSIONS — Shown in inches (cm)


3-Pan Refrigerated Cold Station with NSF2 Cafeteria Breath Guard




4-Pan Refrigerated Cold Station with NSF2 Cafeteria Breath Guard



3-Pan Refrigerated Cold Station with NSF2 Buffet Breath Guard



4-Pan Refrigerated Cold Station with NSF2 Buffet Breath Guard



3-Well Storage Opening: 24 X 23 X 16 1/2 (61 x58 x 42)

4-Well Storage Opening: 36 X 23 X 16 1/2 (91.59 x58 x 42)

NOTICE: A minimum of 3" clearance in front of vents is required for unobstructed airflow. For best performance, prevent drafts and air currents from passing over the display surface. Follow all regulations, warnings, and cautionary guidance specific to products that utilize R290 refrigerant.

ACCESSORIES

Item	300 Series Stainless Steel	Stainless Steel	Poly-ethylene	Fold-Down Mounting Brackets	Depth Inches (cm)	Added Depth when Folded	24" (61 cm) Item #	46" (117 cm) Item #	60" (152 cm) Item #	Add NF Before Item # for non-folding	White Item #	Red Item #
Tray Slides with 11" (27.9) tray area	X	--	--	X	11 1/2 (29.2)	5 1/2 (14)	39924	39946	39960	X	--	--
Cutting Boards	--	--	X	X	7 (17.8)	4 (10.2)	39824	39846	39860	--	--	--
Plate Rests	--	X	--	X	7 (17.8)	4 1/2 (11.4)	38992	38993	38994	X	--	--
Infrared Lamp Bulbs, 250W (12)	--	--	--	--	--	--	--	--	--	--	72442	72441

SPECIFICATIONS

Item	Clearance	HP	Peak Heat of Rej. (BTUH)	Amp	Refrig. Charge	V	Plug	Recept-acle
3-Pan	3" (7.6 CM) min. clearance in front of vents for unobstructed airflow	1/4	2800	3.2	60 grams	120	NEMA 5-15P	
3-Pan w/Lights*				3.8				
4-Pan		1/3	4800	5.2	55 grams			
4-Pan w/Lights*				6.5				

*Incandescent lamps (40W maximum per fixture)

Technical Services
 techservicereps@vollrathco.com
 Induction: 800.825.6036
 Countertop Warming: 800.354.1970
 Other Products: 800.628.0832



Outperform every day.™

Project:

Item Number:

Quantity:

Affordable Portable™ Deluxe Hot Food Stations

The Vollrath Company, L.L.C.

AFFORDABLE PORTABLE™ DELUXE HOT FOOD STATIONS



Affordable Portable™ Deluxe Hot Food Station Shown
with NSF2 Buffet Breath Guard

DESCRIPTION & FEATURES

- Constructed of vinyl-clad, 20-gauge carbon steel.
- 20 gauge 300 series stainless steel work surface.
- Thermoset wells with high-efficiency 480W in-water heating element.
- Available in seven versatile colors.
- Sealed well - no spillage pans required.
- Manifold drains.
- NSF2 buffet or NSF2 cafeteria style acrylic breath guard.
- Two locking casters.
- Dial controls.
- 8 ft. power cord.
- **Affordable Portable™ orders cannot be canceled or returned.**

Lighting Option

- Factory-installed option
- Requires Buffet breath guard
- 120V
- Bulbs not included

WARRANTY

All models shown come with Vollrath's standard warranty against defects in materials and workmanship. For full warranty details, please refer to www.Vollrath.com.

ITEMS

Description	Black	Walnut Woodgrain	Cherry Woodgrain	Granite	White	American Natural	Brushed Aluminum
3 Well NSF2 Buffet Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T38707	T38935	T38767	T38727	T38727W	T38727N	T38727A
Solid Base w/ Lights ^②	T3870746	T3893546	T3876746	T3872746	T3872746W	T3872746N	T3872746A
Open Storage Base ^①	T38708	T38936	T38768	T38728	T38728W	T38728N	T38728A
Open Storage w/ Lights ^②	T3870846	T3893646	T3876846	T3872846	T3872846W	T3872846N	T3872846A
Storage Base w/ Door ^①	T38709	T38937	T38769	T38729	T38729W	T38729N	T38729A
Storage w/ Door, w/Lights ^②	T3870946	T3893746	T3876946	T3872946	T3872946W	T3872946N	T3872946A
3 Well NSF2 Cafeteria Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T39707	T39935	T39767	T39727	T39727W	T39727N	T39727A
Open Storage Base ^①	T39708	T39936	T39768	T39728	T39728W	T39728N	T39728A
Storage Base w/ Door ^①	T39709	T39937	T39769	T39729	T39729W	T39729N	T39729A
4 Well NSF2 Buffet Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T38710	T38945	T38770	T38730	T38730W	T38730N	T38730A
Solid Base w/ Lights ^②	T3871060	T3894560	T3877060	T3873060	T3873060W	T3873060N	T3873060A
Open Storage Base ^①	T38711	T38946	T38771	T38731	T38731W	T38731N	T38731A
Open Storage w/ Lights ^②	T3871160	T3894660	T3877160	T3873160	T3873160W	T3873160N	T3873160A
Storage Base w/ Door ^①	T38712	T38947	T38772	T38732	T38732W	T38732N	T38732A
Storage w/ Door, w/ Lights ^②	T3871260	T3894760	T3877260	T3873260	T3873260W	T3873260N	T3873260A
4 Well NSF2 Cafeteria Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T39710	T39945	T39770	T39730	T39730W	T39730N	T39730A
Open Storage Base ^①	T39711	T39946	T39771	T39731	T39731W	T39731N	T39731A
Storage Base w/ Door ^①	T39712	T39947	T39772	T39732	T39732W	T39732N	T39732A

① For 208-240V without lights, add 2 to the item number.

② For 120/208 and 120/240V with lights, add 4 to the item number.

Due to continued product improvement, please consult www.vollrath.com for current product specifications.

Approvals

Date



Outperform every day.™

www.vollrath.com

The Vollrath Company, L.L.C.

1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830
Canada Customer Service: 800.695.8560

Technical Services
techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products: 800.354.1970
All Other Products: 800.628.0832

AFFORDABLE PORTABLE™ DELUXE HOT FOOD STATIONS

ACCESSORIES AND ADD-ONS

Tray Slides

- ☐ 39924 Fits 24" (61 cm)
- ☐ 39946 Fits 46" (117 cm)
- ☐ 39960 Fits 60" (152 cm)



- 300 Series stainless steel
- Fold-down mounting brackets
- 11" (27.9) tray area
- 11½" (29.2) depth
- Adds 5½" (14 cm) to depth in folded position
- Add NF in front of the item number for non-folding mode

Cutting Boards

- ☐ 39824 Fits 24" (61 cm)
- ☐ 39846 Fits 46" (117 cm)
- ☐ 39860 Fits 60" (152 cm)



- Polyethylene
- Fold-down mounting brackets
- 7" (17.8 cm) depth
- Add 4" (10.2 cm) to depth in folded position

Infrared Lamp Bulbs

- ☐ 72242 White, 250W, 1 Dozen
- ☐ 72241 Red, 250W, 1 Dozen

Plate Rests

- ☐ 38992 Fits 24" (61 cm)
- ☐ 38993 Fits 46" (117 cm)
- ☐ 38994 Fits 60" (152 cm)



- Stainless steel
- Fold-down mounting brackets
- 7" (17.8 cm) depth
- Adds 4½" (11.4 cm) to depth in folded position
- Add NF in front of the item number for non-folding model


ELECTRICAL SPECIFICATIONS

Description	Volts	Hz	Amps	Watts per Well	Electrical Service Amps	NEMA Plug	
3 Well	120	60	12	480	15	5-15P	
4 Well			16		20	5-20P	
3 Well	208-240		8.7-10	15	6-15P		
4 Well			11.5-13.3	20	6-20P		
3 Well with Lights*	120		18.3	480	30	5-30P	
4 Well with Lights*			24.3		50	5-50P	
3 Well with Lights*	120/208-240		12.9-14.2	600-800	20	14-20P	
4 Well with Lights*			15-16.3		30	14-30P	


* Incandescent lamps (250W maximum per fixture)

DIMENSIONS (Shown in inches (cm))

3 Well Deluxe Hot Food Station with NSF2 Cafeteria Breath Guard




3 Well Deluxe Hot Food Station with NSF2 Buffet Breath Guard




3 Well Storage Opening: 24 x 23 x 16½ (61 x 58 x 42)

4 Well Deluxe Hot Food Station with NSF2 Cafeteria Breath Guard



4 Well Deluxe Hot Food Station with NSF2 Buffet Breath Guard



4 Well Storage Opening: 36 x 23 x 16½ (91.52/7/17 x 58 x 42)



Outperform every day.™

www.vollrath.com

The Vollrath Company, L.L.C.

1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830
Canada Customer Service: 800.695.8560

Technical Services
techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products: 800.354.1970
All Other Products: 800.628.0832



Outperform every day.™

Project:

Item Number:

Quantity:

Signature Server® Cashier Stations with Stainless Steel Counters



Shown with optional tray slide and cash drawer.

ITEM NO.

37015

STANDARD FEATURES

- Reinforced stainless steel unibody construction provides extra durability in a lightweight, mobile base
- Base is 18-gauge 400 series stainless steel with applied black laminate
- Top is one-piece 16-gauge 300 series stainless steel
- Operator side is open
- Stainless steel bottom shelf
- Accepts optional cash drawer. See Signature Server Options and Accessories specification sheet on Vollrath.com for details.
- Heavy-duty 4" (10 cm) swivel casters with brakes

Note: Signature Server® equipment orders cannot be canceled or returned.

WARRANTY

All models shown come with Vollrath's standard warranty against defects in materials and workmanship. For full warranty details, please refer to www.Vollrath.com.

OPTIONS

BASE COLOR

- ☐ Black Laminate (Standard)
- ☐ Matte Laminate. Specify manufacturer/color: _____
- ☐ Wood Grain. Specify manufacturer/color: _____

Stainless Steel

Vinyl Wrap

- ☐ Food Words ☐ Food Images
- ☐ Bubbles ☐ Checkerboard

COUNTERTOP MATERIAL

- ☐ 18 Ga Stainless Steel (Standard)
- ☐ 14 Ga Stainless Steel
- ☐ Textured Stainless Steel

CUSTOM OPTIONS

Contact Vollrath Representative for all options.

- ☐ Toe Kick ☐ Electrical Outlet
- ☐ Back Splash ☐ Custom _____

EXTENDED WARRANTY

Contact Vollrath Representative for details.

ACCESSORIES

See Signature Server Accessories Spec Sheet.

Plate Rest w/ Mounting Kit (Stainless Steel)

- ☐ Customer Side ☐ Plain ☐ Textured
- ☐ Operator Side ☐ Plain ☐ Textured

Tray Slide, V-rib (Stainless Steel)

- ☐ Customer Side ☐ 18 Ga ☐ 14 Ga
- ☐ Operator Side ☐ 18 Ga ☐ 14 Ga

Tray Slide, Tubular (Stainless Steel)

- ☐ Customer Side
- ☐ Operator Side

Cutting Board

- ☐ Maple Hardwood ☐ White Poly

End Shelf (Stainless Steel)

- ☐ Operator Left ☐ Operator Right
- ☐ Operator Left and Operator Right

Storage Module

- ☐ With Doors ☐ Without Doors

Stationary Legs

- ☐ Adjustable 4-5" ☐ 4"F fixed ☐ 6" Fixed

Line Locks

- ☐ Line Locks

Cord Cutout

- ☐ Cutout in Countertop with Receptacle

Cash Drawer


- ☐ Cash Drawer

Approvals


Date

Signature Server® Cashier Stations with Stainless Steel Counters


DIMENSIONS ((Shown in inches (cm))



Top View



Operator Side View



End View

Note: For accessory dimensions, see the accessory spec sheets on vollrath.com



Outperform every day.™

www.vollrath.com

The Vollrath Company, L.L.C.
1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830

Technical Services
techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products:
800.354.1970
All Other Products: 800.628.0832



Outperform every day.™

Project:

Item Number:

Quantity:

SIGNATURE SERVER® COUNTER ACCESSORIES AND OPTIONS



Signature Server® 4-Well Hot Food Station with optional: Access® Buffet Breath Guard with lights, storage, end shelf and plate rests.

See Accessories and Options on the following pages for selection information.

Signature Server®		Counter Accessories and Options										
		Counter Accessories for Signature Server®						Options for Signature Server®				
		Tray Slide		Plate Rest	Cutting Board		End Shelf	Storage Module*	Bag in Box	Cash Drawer	False Bottom	Stationary Leg
		V-Rib	Tubular		Wood	Poly						
Hot Food Stations	3 Well	X	X	X	X	X	X	X	X	-	-	X
	4 Well	X	X	X	X	X	X	X	X	-	-	X
	5 Well	X	X	X	X	X	X	X	X	-	-	X
	6 Well	X	X	X	X	X	X	X	X	-	-	X
Hot/Cold Food Stations	74"	X	X	X	X	X	X	*	X	-	X	X
Cold Food Stations	46"	X	X	X	X	X	X	X	X	-	X	X
	60"	X	X	X	X	X	X	X	X	-	X	X
	74"	X	X	X	X	X	X	X	X	-	X	X
	88"	X	X	X	X	X	X	X	X	-	X	X
NSF7 Cold Food Stations	46"	X	X	X	X	X	X	*	X	-	X	X
	60"	X	X	X	X	X	X	*	X	-	X	X
	74"	X	X	X	X	X	X	*	X	-	X	X
	88"	X	X	X	X	X	X	*	X	-	X	X
Frost Top Stations	46"	X	X	X	X	X	X	*	X	-	-	X
	60"	X	X	X	X	X	X	*	X	-	-	X
	74"	X	X	X	X	X	X	*	X	-	-	X
	88"	X	X	X	X	X	X	*	X	-	-	X
Bain Marie Stations	46"	X	X	X	X	X	X	X	X	-	-	X
	60"	X	X	X	X	X	X	X	X	-	-	X
	74"	X	X	X	X	X	X	X	X	-	-	X
	88"	X	X	X	X	X	X	X	X	-	-	X
Beverage Counters	46"	X	X	X	X	X	X	X	X	-	-	X
	60"	X	X	X	X	X	X	X	X	-	-	X
	74"	X	X	X	X	X	X	X	X	-	-	X
Milk Stations	60"	X	X	X	X	X	X	-	-	-	-	X
	74"	X	X	X	X	X	X	-	-	-	-	X
Utility Stations	28"	X	X	X	X	X	-	-	X	-	-	X
	46"	X	X	X	X	X	X	X	X	-	-	X
	60"	X	X	X	X	X	X	X	X	-	-	X
	74"	X	X	X	X	X	X	X	X	-	-	X
	88"	X	X	X	X	X	X	X	X	-	-	X
Cashier Station		X	X	X	X	X	-	X	-	X	-	X
Entree Cart		X	X	X	X	X	-	-	X	-	-	X
Corner Stations		X	X	X	-	-	X	X	X	-	-	X
Tray and Flatware Cart		-	-	-	-	-	-	-	-	-	-	X

* Non-standard option. Contact Vollrath for availability. Not available on Signature Server Curved Bases.



Outperform every day.™

www.vollrath.com

The Vollrath Company, L.L.C.

1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830
Canada Customer Service: 800.695.8560

Technical Services
techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products: 800.354.1970
All Other Products: 800.628.0832

SIGNATURE SERVER® COUNTER ACCESSORIES AND OPTIONS

COUNTER ACCESSORIES FOR SIGNATURE SERVER®

Tray Slide – V-Rib



- 400 Series stainless steel with 4 inverted “V” ribs.
- Bracket provides 4¾" (12.1 cm) tray slide height adjustment.
- Turned down flange is 12" (30.5 cm) wide with 1" (2.5 cm).
- Locking brackets on each end to join stations together.
- Adds 4" (10.2 cm) to width of unit in folded position.
- Removable for easy transport.

Width / Gauge / Item Number						
28" (71 cm)	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)	Corner	
					Inside	Outside
18 Gauge						
37521	37522	37523	37524	98831	37519	37520
14 Gauge						
N/A	270280114-2	270290114-2	270300114-2	270310114-2	N/A	N/A

Tray Slide – Tubular



- 300 Series stainless steel.
- Bracket provides 4¾" (12.1 cm) tray slide height adjustment.
- Turned down flange is 12" (30.5 cm) wide with 1" (2.5 cm).
- Locking brackets on each end to join stations together.
- Adds 4" (10.2 cm) to width of unit in folded position.
- Removable for easy transport.

Width / Gauge / Item Number						
28" (71 cm)	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)	Corner	
					Inside	Outside
18 Gauge						
9882001	9882003	9882004	9882005	9882006	9882007	9882008

Plate Rest



- 18-gauge 400 series stainless steel with fold-down style mounting bracket.
- Turned down flange is 7" (17.8 cm) wide with 1" (2.5 cm).
- Locking brackets on each end to join stations together.
- Adds 4" (10.2 cm) to width of unit in folded position.
- Removable without tools for easy transport.
- NSF

Width / Item Number						
28" (71 cm)	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)	Corner	
					Inside	Outside
37511	37512	37513	37514	98829	37509	37510

Cutting Board – Wood



- Maple construction with fold-down style mounting brackets.
- Turned down flange is 8" (20.3 cm) wide with 1" (2.5 cm).
- Adds 4" (10.2 cm) to width of unit in folded position.

Width / Item Number					
28" (71 cm)	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)	Corner
N/A	37551	37552	37553	98851	N/A

Cutting Board – Poly



- Polyethylene construction with fold-down style mounting brackets.
- Turned down flange is 8" (20.3 cm) wide with 1" (2.5 cm).
- Adds 4" (10.2 cm) to width of unit in folded position.

Width / Item Number					
28" (71 cm)	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)	Corner
N/A	37561-2	37562	37563	98852	N/A

End Shelf



- 400 Series stainless steel with fold-down style mounting bracket.
- 18" x 28" (46 x 71 cm). 40 lb. (18.2 kg) capacity.
- Adds 4½" (11.4 cm) to length of unit in folded position.
- Must be factory installed.
- Not recommended for attachment to entree cart, cashier station or 28" utility station.
- NSF

Item Number
37570

SIGNATURE SERVER® COUNTER ACCESSORIES AND OPTIONS**OPTIONS FOR SIGNATURE SERVER®****Storage Module**

- 400 Series stainless steel and formed to allow flange to fit over exterior surface of server base.
- Doors are stainless steel, clad with black laminate or optional finish.
- With doors includes key lock.
- Opening height of module is 16½" (42 cm).
- Depth is 25½" (64.8 cm).
- Not available on Signature Server® curved bases.
- NSF.

Fits	Width In (CM)	With Doors	Without Door
3-Well Hot, 60" Cold, 46" Beverage	24 (61)	36930	36931
4-Well Hot, 46" Utility, 74" Cold, 60" Beverage	36 (91.4)	36936	36937
5-Well Hot, 60" Utility, 74" Beverage	50 (127)	36938	36939
6-Well Hot, 74" Utility	64 (162.6)	36940	36941
88" Utility	64 (162.6)	36938-2	36939-2

Bag in Box

- Available in stainless steel or galvanized shelf options.
- Stainless steel door frame.
- Open storage without doors provides easy access.
- Access Concept Configurator™ at www.vollrath.com for a full list of accessories, including intermediate shelves.

Material	28" (71 cm)	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)
Stainless Steel	N/A	36981	36983	36985	98790

Cash Drawer

Cash Drawer	
Drawer - steel, black powder coat finish (15¾ x 16¾ x 4½)	36945
Duplex Receptacle, 120V AC, 10A	36946

False Bottoms

- 18 gauge 400 Series stainless steel.
- Helps maintain ice longer.
- Sits 1" (2.5 cm) above well bottom.
- Perforated for easy draining.

Hot/Cold Food Stations	Cold Food Stations			
	46" (117 cm)	60" (152 cm)	74" (188 cm)	88" (224 cm)
36913	36914	36915	36916	98855-2

Stationary Legs

- Constructed of plated metal.
- Threaded insert with height adjustment of 1" (2.54 cm).

Leg	
Adjustable 4"- 5"	36921
4" Leg	2897451-2
6" Leg	2897452-2

Due to continued product improvement, please consult www.vollrath.com for current product specifications.

WARRANTY: All models shown come with Vollrath's standard warranty against defects in materials and workmanship. For full warranty details, please refer to www.Vollrath.com.

Approvals	Date

SIGNATURE SERVER® COUNTER ACCESSORIES AND OPTIONS**NOTES:**

Outperform every day.™

www.vollrath.com**The Vollrath Company, L.L.C.**

1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830
Canada Customer Service: 800.695.8560

Technical Services

techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products: 800.354.1970
All Other Products: 800.628.0832

Item	Qty	Description	Sell	Sell Total
3	2 ea	WALL GRID SHELVING UNIT  Cambro Model No. EWS36TASK110 Camshelving® Elevation Series Wall Shelving Task Station Starter Kit, 18" x 36" x 30-1/4", includes: (1) 40" aluminum wall track, (2) 30" wall uprights, (2) 18" deep universal shelf brackets, (1) 18" x 36" vented shelf with CamGuard® antimicrobial shelf plates, (1) 18" x 36" hanging pegboard, black, NSF, Made in USA	\$354.11	\$708.22
ITEM TOTAL:				\$708.22
4	4 ea	WALL GRID SHELVING ACCESSORIES  Cambro Model No. EWSSBA18110 Camshelving® Elevation Series Wall Shelving Bracket, 18", angle, black, NSF, Made in USA	\$30.52	\$122.08
ITEM TOTAL:				\$122.08
5	2 ea	WALL GRID SHELF  Cambro Model No. EWSSKA1836V580 Camshelving® Elevation Series Wall Shelving Add-On Shelf Kit, 18" x 36", includes (1) open shelf frame, (1) straight universal shelf bracket, vented shelf plates with CamGuard® antimicrobial protection, brushed graphite, NSF, Made in USA	\$126.00	\$252.00
ITEM TOTAL:				\$252.00
6	1 ea	DELIVERY Singer Equipment Company Model No. DELIVERY Singer Equipment to deliver, uncrate and set in place.	\$650.00	\$650.00
ITEM TOTAL:				\$650.00
Total				\$4,738.42

Prices Good Until: 10/04/2026

Prices are valid for 10 days unless otherwise noted herein, thereafter reconfirm.

In the event of an increase in U.S. published tariffs resulting in an increase of Singer's cost for Goods that are subject to a Proposal or an order by Customer, Singer may, prior to Customer's payment in full for such Goods, increase the price for such Goods by an amount equal to the increase of Singer's cost.

Unless otherwise noted herein, freight charges are NOT included.

Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

[See link to the Terms and Conditions, Return/Cancellation Section](#) for the return and cancellation terms applicable to this Quote.

[See link to the Terms and Conditions, Delivery Section](#), for delivery and shipping terms applicable to this Quote.

[See link to the Terms and Conditions, Scope of Work Section](#), for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. **Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept.** *By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

- B. Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts [the terms of the Quote and the Terms at https://www.singerequipment.com/policies/quote-terms-conditions](https://www.singerequipment.com/policies/quote-terms-conditions), which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, both of which I hereby ACCEPT.

WE ACCEPT ELECTRONIC SIGNATURES. *By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

Insert name
of customer: _____

By (signature): _____

Name (print): _____

Title (print): _____

Date: _____



Get Started Today!

Apply Now for Flexible Financing
with Singer Finance Powered by LEAF!

[Click Here to complete the application](#)



Glo-Ray® Buffet Warmers

Models: GRBW-24, -30, -36, -42, -48, -54, -60, -66, -72

Glo-Ray® Buffet Warmers are ideal for holding hot food on buffet lines or at temporary serving areas. Seven optional *Designer* powdercoated colors coordinate these warmers with the décor while providing a durable, easy-to-clean surface.

A metal sheathed element directs heat from above while the thermostatically-controlled heated base conducts heat below.

Standard features

- Pre-focused infrared top heat directs heat to the outer edges of the holding surface where heat loss is the greatest
- Thermostatically-controlled heated base has a temperature range of 80° to 200°F (27°-93°C)
- Widths available from 25" - 78.25" (635-1988 mm)
- Features a 6' (1829 mm) cord and plug set
- Shatter-resistant incandescent lights enhance product display while safeguarding food products from bulb breakage
- Sturdy plexi-glass sneeze guards provide a safe environment

Project _____

Item # _____

Quantity _____



GRBW-30 with optional
Designer Color and
accessory food pans



GRBW-30 with optional
front and side enclosures



Options (available at time of purchase only)

Designer Color – Anodized Aluminum finish Standard – Non-standard colors are non-returnable ■

- | | | | |
|------------------------------------|---------------------------------------|---|--|
| ☐ Warm Red | ☐ Black | ☐ Gray Granite | ☐ White Granite |
| ☐ Navy Blue | ☐ Hunter Green | ☐ Antique Copper | |

Acrylic Front Enclosure

- | | |
|--|---|
| ☐ GRBW-24 and -30 | ☐ GRBW-36, -42 and -48 |
|--|---|

☐ Two Plexi-Glass Side Enclosures

Hardcoated Surface

- | | |
|--|--|
| ☐ GRBW-24 through GRBW-42 | ☐ GRBW-48 through GRBW-72 |
|--|--|

☐ Infinite Control for top heat only (GRBW-24 through GRBW-60 only)

Sneeze Guard in lieu of standard 7.5" (191 mm)

- | | |
|--|---------------------------------------|
| ☐ 9.375" (238 mm) | ☐ 14" (356 mm) |
|--|---------------------------------------|

Accessories

☐ 4" (102 mm) adjustable legs (standard on units GRBW-42 or wider)

Pan Rail (cannot use with Acrylic Front Enclosure)

- | | | | |
|---------------------------------|---------------------------------|---------------------------------|---------------------------------|
| ☐ 2 Rail | ☐ 3 Rail | ☐ 4 Rail | ☐ 5 Rail |
|---------------------------------|---------------------------------|---------------------------------|---------------------------------|

Trivets - stainless steel

- | |
|--|
| ☐ Half-size 10.2"W x 7.6"D x" (259 x 194 mm) |
| ☐ Full-size 10.125"W x 18"D x" (257 x 457 mm) |

Stainless steel food holding pans

- | |
|--|
| ☐ Third-size 12.75"W x 6.9" D x 2.5"H (324 x 175 x 64 mm) |
| ☐ Half-size 12.75"W x 10.4"D x 2.5"H (324 x 264 x 64 mm) |
| ☐ Full-size 12.75"W x 20.75"D x 2.5"H (324 x 527 x 64 mm) |
| ☐ Full-size 12.75"W x 20.75"D x 4"H (324 x 527 x 102 mm) |

Chef LED adjustable bulb - bulb must be rotated down

- | | |
|--|--|
| 120V: ☐ 3000K Similar to warm halogen | ☐ 4000K Similar to cool fluorescent |
| 230V: ☐ 3000K Similar to warm halogen | ☐ 4000K Similar to cool fluorescent |

■ IFS anti-microbial coatings use naturally-occurring, environmentally sustainable, silver ions to help inhibit the growth of microbes on the powder coated surface. See www.hatcocorp.com/antimicrobial-paint for more information.

For operation, location and safety information, please refer to the Installation and Operating Manual.



MADE IN
THE USA

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (414) 671-6350




www.hatcocorp.com | support@hatcocorp.com | [Find a Hatco Rep](#) | [Image Library](#) | [Document Library](#) | [Patents](#) | [Chat](#)



Glo-Ray® Buffet Warmers

Models: GRBW-24, -30, -36, -42, -48, -54, -60, -66, -72



SPECIFICATIONS Glo-Ray® Buffet Warmers

The shaded areas contain electrical information for International models

Model	Number of Light Bulbs	Dimensions↔ W x D x H (height includes legs)	Maximum Full Size Pan Capacity 12.75" x 20.75" pan (324 x 527 mm pan)	Volts	Watts	Amps	Plug Configuration	Approx. Ship Weight
GRBW-24	2	25" x 22.5" x 17.75" (635 x 572 x 451 mm) Legs: 1" (25 mm)	1	100	934	9.3	NEMA 5-15P	46 lbs. (21 kg.)
				120	970	8.1	NEMA 5-15P	
				120/208		4.2	NEMA L14-20P	
				120/240			NEMA L14-20P	
				220	920	4.2	CEE 7/7 Schuko	
				240	1000	4.2	BS-1363	
				220-230 (CE)	920-1006	4.2-4.4	CEE 7/7 Schuko	
				230-240 (CE)	918-1000	4.0-4.2	BS-1363	
GRBW-30	2	31" x 22.5" x 17.75" (787 x 572 x 451 mm) Legs: 1" (25 mm)	2	100	1194	11.9	NEMA 5-15P	52 lbs. (24 kg.)
				120	1230	10.3	NEMA 5-15P	
				120/208		5.5	NEMA L14-20P	
				120/240		5.5	NEMA L14-20P	
				220	1172	5.3	CEE 7/7 Schuko	
				240	1270	5.3	BS-1363	
				220-230 (CE)	1172-1281	5.3-5.6	CEE 7/7 Schuko	
				230-240 (CE)	1166-1270	5.1-5.3	BS-1363	
GRBW-36	3	37" x 22.5" x 17.75" (940 x 572 x 451 mm) Legs: 1" (25 mm)	2	100	1476	14.8	NEMA 5-15P	58 lbs. (26 kg.)
				120	1530	12.8	NEMA 5-15P †	
				120/208		6.7	NEMA L14-20P	
				120/240		6.7	NEMA L14-20P	
				220	1454	6.6	CEE 7/7 Schuko	
				240	1578	6.6	BS-1363	
				220-230 (CE)	1454-1589	6.6-6.9	CEE 7/7 Schuko	
				230-240 (CE)	1449-1578	6.3-6.6	BS-1363	
GRBW-42*	3	43" x 22.5" x 20.75" (1092 x 572 x 527 mm) Legs: 4" (102 mm)	3	120	1730	14.4	NEMA 5-15P †	68 lbs. (31 kg.)
				120/208		7.9	NEMA L14-20P	
				120/240		7.9	NEMA L14-20P	
				220	1648	7.5	CEE 7/7 Schuko	
				240	1782	7.4	BS-1363	
				220-230 (CE)	1648-1801	7.4-7.8	CEE 7/7 Schuko	
				230-240 (CE)	1636-1782	7.1-7.4	BS-1363	

↔ If end enclosures are included, add 1" (27 mm) to width of unit.

† NEMA 5-20P for Canada.

♦ NSF requires units over 36" (914 mm) in width and over or weighing more than 80 lbs. (36 kg) be either sealed to, or raised on the installation surface with 4" (102 mm) legs (included).

HATCO CORPORATION

P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (414) 671-6350



www.hatcocorp.com

support@hatcocorp.com

[Find a Hatco Rep](#)

[Image Library](#)

[Document Library](#)

[Patents](#)

[Chat](#)



Glo-Ray® Buffet Warmers

Models: GRBW-24, -30, -36, -42, -48, -54, -60, -66, -72

SPECIFICATIONS Glo-Ray® Buffet Warmers

The shaded areas contain electrical information for International models

Model	Number of Bulbs	Dimensions↔ W x D x H (height includes legs)	Maximum Full Size Pan Capacity 12.75" x 20.75" pan (324 x 527 mm pan)	Volts	Watts	Amps	Plug Configuration	Approx. Ship Weight
GRBW-48♦	4	49" x 22.5" x 20.75" (1245 x 572 x 527 mm) Legs: 4" (102 mm)	3	120	2040	17.0	NEMA 5-20P ♦	75 lbs. (34 kg.)
				120/208		9.2	NEMA L14-20P	
				120/240		9.2	NEMA L14-20P	
				220	1940	8.8	CEE 7/7 Schuko	
				240	2040	8.5	BS-1363	
				220-230 (CE)	1940-2120	8.8-9.2	CEE 7/7 Schuko	
				230-240 (CE)	1875-2040	8.1-8.5	BS-1363	
GRBW-54♦	4	55" x 22.5" x 20.75" (1397 x 572 x 527 mm) Legs: 4" (102 mm)	4	120/208	2290	10.4	NEMA L14-20P	81 lbs. (37 kg.)
				120/240			NEMA L14-20P	
				220	2182	9.9	CEE 7/7 Schuko	
				240	2360	9.8	BS-1363	
				220-230 (CE)	2182-2385	9.9-10.4	CEE 7/7 Schuko	
				230-240 (CE)	2167-2360	9.4-9.8	BS-1363	
GRBW-60♦	5	61" x 22.5" x 20.75" (1549 x 572 x 527 mm) Legs: 4" (102 mm)	4	120/208	2600	11.7	NEMA L14-20P	90 lbs. (41 kg.)
				120/240			NEMA L14-20P	
				220	2474	11.2	CEE 7/7 Schuko	
				240	2680	11.2	BS-1363	
				220-230 (CE)	2474-2704	11.2-11.8	CEE 7/7 Schuko	
				230-240 (CE)	2470-2680	10.7-11.2	BS-1363	
GRBW-66♦	5	67" x 22.5" x 20.75" (1702 x 572 x 527 mm) Legs: 4" (102 mm)	5	120/208	2860	13.0	NEMA L14-20P	96 lbs. (44 kg.)
				120/240			NEMA L14-20P	
				220	2726	12.4	CEE 7/7 Schuko	
				240	2948	12.3	BS-1363	
				220-230 (CE)	2726-2978	12.4-12.9	CEE 7/7 Schuko	
				230-240 (CE)	2707-2948	11.8-12.3	BS-1363	
GRBW-72♦	5	73" x 22.5" x 20.75" (1854 x 572 x 527 mm) Legs: 4" (102 mm)	5	120/208	3125	14.4	NEMA L14-20P	107 lbs. (49 kg.)
				120/240			NEMA L14-20P	
				220	2983	13.6	CEE 7/7 Schuko	
				240	3113	13.0	BS-1363	
				220-230 (CE)	2983-3260	13.6-14.2	CEE 7/7 Schuko	
				230-240 (CE)	2859-3113	12.4-13.0	BS-1363	

↔ If end enclosures are included, add 1" (27 mm) to width of unit.

♦ NSF requires units 36" (914 mm) in width and over or weighing more than 80 lbs. (36 kg) to be either sealed, or raised on the installation surface with 4" (102 mm) legs included.


♦ Not available in Canada.

CORD LOCATION

Base end plate, same side as switch.

PLUG CONFIGURATIONS

Please refer to electrical specification chart.



PRODUCT SPECS

Glo-Ray® Buffet Warmers

The infrared Buffet Warmer shall be a Glo-Ray® Model ... as manufactured by the Hatco Corporation, Milwaukee, WI 53234 U.S.A.

The warmer shall be rated at ... watts, ... volts, and be ... inches (millimeters) in overall width. It shall consist of a thermostatically- controlled heated base, breath protector(s), and incandescent display lights.

The infrared heating element shall be tubular metal sheathed and the warmer shall

have a cord with plug attached. Options shall include: Designer Color in anti-microbial paint, Acrylic Front Enclosure, Hardcoated Surface, Infinite Control and Sneeze Guards.

Accessories shall include pan rail, 4" (102 mm) adjustable legs, stainless steel food pans, wire rivets, food pans and Chef LED bulbs.

Warranty consists of 24/7 parts and service assistance (U.S. and Canada only).

HATCO CORPORATION

P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (414) 671-6350



www.hatcocorp.com

support@hatcocorp.com

[Find a Hatco Rep](#)

[Image Library](#)

[Document Library](#)

[Patents](#)

[Chat](#)

UPGRADE YOUR PROTECTION

Safety doesn't have to mean sacrificing your business identity! Avant Guarde™ Barrier Shields and Sneeze Guards allow you to instantly make your service areas safe and aligned with new health regulations. Modern design is less intrusive to your guests and customer experience.

We use a premium acrylic that is more durable and has a crystal clear transparency.



Avant Guarde™ Acrylic Sneeze Guard with Pass-Through Door*

48 x 8 x 28 in

Item # AG013

Door Dimensions:
24" w x 15" h



Avant Guarde™ Acrylic Sneeze Guard*

24 x 8 x 28 in

Item # AG007

With Pass-Through Window

Item # AG008



Avant Guarde™ Acrylic Sneeze Guard with Pass-Through Window*

36 x 8 x 28 in

Item # AG010

Without Pass-Through

Item # AG009



Avant Guarde™ Acrylic Sneeze Guard*

48 x 8 x 28 in

Item # AG011

With Pass-Through Window

Item # AG012

* Patent Pending



Quote

09/04/2026

Project:
Stroudsburg SD- All

From:
Singer Equipment Company
Jim Burke
150 S. Twin Valley Rd.
Elverson, PA 19520-
800-422-8126
610-387-6463 (Contact)

Project Code: STROUDSB

Job Reference Number: 204981

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <https://www.singerequipment.com/policies/quote-terms-conditions> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer Equipment Company, Inc., ("Singer").

Item	Qty	Description	Sell	Sell Total
EQUIPMENT				
1	12 ea	INSULATED FOOD CARRIER Metro Model No. ML300 (NS_10142585) Mightylite™ Pan Carrier, front-load, insulated, (4) pan capacity, holds full, 1/2 & 1/3 sized pans in 2-1/2" to 8" depths, (8) integrated handles, stackable, elastomer travel latch, built-in door seal, label holder, includes bonus wire caddy, ultra-lightweight durable expanded polypropylene construction, black/red, NSF Dimensions 19.75(h) x 17.25(w) x 27(d)	\$331.20	\$3,974.40
				
	12 ea	2-year warranty, contact factory for information		
	12 ea	MLD1 (NS_10192567) Mightylite™ Food Carrier Dolly, load capacity 350 lbs., accommodates standard size milk crates, strap included, heavy-duty high density polyethylene, gray, 5" casters (2 swivel, 2 swivel with brake), stores on top of carrier when not in use, for ML300, ML400, ML180, ML180XL carriers	\$284.05	\$3,408.60
ITEM TOTAL:				\$7,383.00
1	3 st	ACCESSORY Blodgett (Middleby) Model No. BL31311 Packed st Blodgett 31311 Rack Support Kit, Set of 2	\$196.95	\$590.85
ITEM TOTAL:				\$590.85
2	16 ea	ACCESSORY Blodgett (Middleby) Model No. BL18768 Blodgett 18768 Wire Rack, 20 7/8 x 28 1/4, Chrome	\$243.00	\$3,888.00

Item	Qty	Description	Sell	Sell Total
			ITEM TOTAL:	\$3,888.00
SMALLWARES				
1	18 ea	STEAM TABLE PAN, STAINLESS STEEL Vollrath Model No. 90022 (10049369) Packed 6 ea Super Pan 3® 1/1 GN Food Pan, 2-1/2" deep (65mm), 9 qt capacity, 22 gauge, 300 series stainless steel, top flange corners with concave indentation, ramped sides, reverse form flattened edge, framing shoulder, interchangeable with SPV plastic pan line, meets gastronorm (EN 631-1) standard, NSF, Made in USA (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 2.5(h) x 12.81(w) x 20.87(d)	\$35.22	\$633.96
			ITEM TOTAL:	\$633.96
2	12 ea	STEAM TABLE PAN COVER, STAINLESS STEEL Vollrath Model No. 77200 (10049319) Solid Dome Cover, full size, 21" L x 12-7/8"W x 3-3/4"H, interior dome 2-1/2"H, black Kool-Touch® handle upto 220°F, satin-finished stainless steel, Made in USA (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 3.75(h) x 21(w) x 12.88(d)	\$63.77	\$765.24
			ITEM TOTAL:	\$765.24
3	10 ea	STANDARD ROUND BOWL DISHER ABC Procurement Model No. NID-08 (10049462) Packed 36 ea Disher, size 8, 4 oz., grey handle, NSF	\$9.74	\$97.40
			ITEM TOTAL:	\$97.40
4	12 ea	PORTION CONTROL SPOON / LADLE Vollrath Model No. 61180 (NS_10183450) Packed 12 ea Spoodle®, 8 oz., perforated, stainless with Grip 'N Serv® black plastic handle, equipped with all-natural antimicrobial, 14-1/8" overall length, Made in USA (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 1.7(h) x 4(w) x 14.12(d)	\$15.04	\$180.48
			ITEM TOTAL:	\$180.48
5	8 ea	UTILITY TONGS Vollrath Model No. 4780922 (10048382) Packed 12 ea Utility Tongs, one-piece, 9-1/2" long, heavy gauge stainless, with high temperature black nylon ends (heat resistant up to 450°F (232°C), black ergonomic antimicrobial Kool-Touch® handles (heat safe up to 350°F (176.6°C), dishwasher safe, Made in USA, Jacob's Pride® Collection, Limited Lifetime Warranty (Refer to vollrathfoodservice.com for full warranty policy)	\$16.15	\$129.20

Item	Qty	Description	Sell	Sell Total
Dimensions 9.5(w)				
			ITEM TOTAL:	\$129.20
6	12 ea	PORTION CONTROL SPOON / LADLE Winco Model No. FPPN-1 Packed 72 ea Food Portioner, 1 oz., perforated, one-piece, stainless steel, Prime, black, NSF (Qty Break = 12 each)	\$2.01	\$24.12
				
			ITEM TOTAL:	\$24.12
7	15 ea	BUN / SHEET PAN Advance Tabco Model No. 18-8A-26-X (10219004) Packed 12 ea Special Value Bun Pan, full size, 18 ga. aluminum, standard (must purchase in multiples of 12) (Special Value NET Pricing) Dimensions 1(h) x 26(w) x 18(d)	\$18.00	\$270.00
				
			ITEM TOTAL:	\$270.00
8	18 ea	FOOD PAN Cambro Model No. 14CW148 (NS_10049800) Packed 6 ea Camwear® Food Pan, 13.7 qt. capacity, 4" deep, full size, polycarbonate, white, NSF, Made in USA	\$20.07	\$361.26
				
		18 ea 2 year warranty		
			ITEM TOTAL:	\$361.26
9	12 ea	FOOD PAN Cambro Model No. 12CW148 (NS_10049778) Packed 6 ea Camwear® Food Pan, 8.9 qt. capacity, 2-1/2" deep, full size, polycarbonate, white, NSF, Made in USA	\$15.80	\$189.60
				
		12 ea 2 year warranty		
			ITEM TOTAL:	\$189.60
10	12 ea	FOOD PAN Cambro Model No. 24LPCW148 (NS_10049882) Packed 6 ea Camwear® Food Pan, 5.3 qt. capacity, 4" deep, 1/2 size long, polycarbonate, white, NSF, Made in USA	\$14.92	\$179.04
				
		12 ea 2 year warranty		
			ITEM TOTAL:	\$179.04
11	12 ea	FOOD PAN	\$11.93	\$143.16

Item	Qty	Description	Sell	Sell Total
		Cambro Model No. 22LPCW148 (NS_10351032) Packed 6 ea Camwear® Food Pan, 3.2 qt. capacity, 2-1/2" deep, 1/2 size long, polycarbonate, white, NSF, Made in USA		
	12 ea	2 year warranty		
			ITEM TOTAL:	\$143.16
12	1 ea	DELIVERY Singer Equipment Company Model No. DELIVERY Singer Equipment to deliver, uncrate and set in place.	\$650.00	\$650.00
			ITEM TOTAL:	\$650.00
			Total	\$15,485.31

Prices Good Until: 09/23/2026

Prices are valid for 10 days unless otherwise noted herein, thereafter reconfirm.

In the event of an increase in U.S. published tariffs resulting in an increase of Singer's cost for Goods that are subject to a Proposal or an order by Customer, Singer may, prior to Customer's payment in full for such Goods, increase the price for such Goods by an amount equal to the increase of Singer's cost.

Unless otherwise noted herein, freight charges are NOT included.

Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

[See link to the Terms and Conditions, Return/Cancellation Section](#) for the return and cancellation terms applicable to this Quote.

[See link to the Terms and Conditions, Delivery Section](#), for delivery and shipping terms applicable to this Quote.

[See link to the Terms and Conditions, Scope of Work Section](#), for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. **Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept.** *By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

- B. Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts [the terms of the Quote and the Terms at https://www.singerequipment.com/policies/quote-terms-conditions](https://www.singerequipment.com/policies/quote-terms-conditions), which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, both of which I hereby ACCEPT.

WE ACCEPT ELECTRONIC SIGNATURES. *By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

Insert name
of customer: _____

By (signature): _____

Name (print): _____

Title (print): _____

Date: _____



Get Started Today!

Apply Now for Flexible Financing
with Singer Finance Powered by LEAF!

[Click Here to complete the application](#)

{13.60}



Metro® Mightylite® Insulated Front-Load Pan Carriers


Attractive, ultralight, and durable insulated front-load pan carriers for transporting and delivering hot and cold 12x20/GN food pans to off-site locations.

- **Durable:** Advanced polymer foam construction with high strength-to-weight ratio withstands impact without damage, making it perfect for lifting and withstanding the rigors of off-site food transport!
- **Ultra-light:** Mightylite front-load pan carriers weigh 60% less than traditional polymer molded, urethane foam-filled carriers. ML300 weighs 9.1 lbs. (4.1kg) and ML400 is 11.3 lbs. (5.1kg)
- **Ergonomic:** Convenient, integrated handles provide the ultimate flexibility to facilitate lifting, carrying, and moving in various situations. Eight handles make the job easier and allow you to lift whichever way makes you most comfortable!
- **Keeps Food Safe for 5+ Hours!** Transport hot or cold food at safe, appetizing temperatures with confidence.
- **Robust Door Design:** 270° swing door with flexible integrated seal snaps shut and helps retain temperature. Never worry about replacing or difficult-to-clean gaskets again. Integrated hinges and durable elastomer travel latch are virtually unbreakable!
- **Label Holder/Whiteboard:** Doubles as card holder and dry erase board and makes identifying carrier contents and destinations easier.
- **Stackable:** Carriers are designed to interlock with each other and optional dolly for more efficient transportation and storage.
- **Complimentary Wire Caddy:** Included with every carrier to help organize and hold common temperature maintenance tools and other odd-shaped items such as quart containers.
- **Recyclable:** 100% recyclable, CFC-free.



ML300 & ML400
stacked on optional dolly

Keeps food safe **5+ HRS.**




Available Door Colors



RED
ML300
ML400



BLUE
ML300-BU
ML400-BU



BLACK
ML300-BL
ML400-BL



ML300

ML400

All Metro Catalog Sheets are available on our website: metro.com



{13.60}



Metro® Mightylite® Insulated Front-Load Pan Carriers


Specifications

- **Carrier Construction:** Lightweight, thermally insulated, impact absorbing, eco-friendly engineered plastic foam body and door made of expanded polypropylene (EPP). 2" (51mm) thick walls.
- **Door:** 270° swing flush, vaulted door with flexible integrated door seal and large 5.5" (140mm) x 8.5" (216mm) clear polyester label holder/whiteboard.
- **Hinge:** Integral to carrier body, with heavy-duty $\frac{5}{16}$ " (8mm) diameter stainless steel pin.
- **Travel Latch:** Heavy-duty elastomer travel latch, secured to body with $\frac{5}{16}$ " (8mm) diameter stainless steel pin. Removable without the use of tools.
- **Pan Slides:** Integral to carrier walls, spaced on 1½" centers.


Accessories

- **Dolly (MLD1):** Constructed of heavy-duty, high-density polyethylene (HDPE) construction reinforced with aluminum caster channels. Designed to transport carriers or milk crates. Can be stored on top of carrier, strap included.
- **Thermal Partition (MLP1):** Lightweight, insulated EPP construction helps avoid accelerated food temperature loss or gain inside partially full carriers or can separate hot and cold food in the same carrier.
- **Heater (MLH1):** Stainless steel, thermostatically controlled add-on carrier heater. Great for applications where carriers are frequently accessed or not 100% full or simply when added heat is desired to keep food hotter, safer, and more appetizing.
- **Wire Caddy (MLC1):** Has multiple uses: can hold hot and cold packs to extend holding times, support disposable aluminum pans, or securely transport quart containers.
- **Carrying Strap (MLS1):** Heavy-duty, adjustable strap that can be reconfigured for one- or two-person carrying. Designed to work with top-load and front-load carriers.

CARRIERS ARE 17.25" (438mm) WIDE AND 27" (686mm) DEEP



CARRIERS STACKED ON DOLLY ARE
20.63" (524mm) WIDE AND 29.75" (756mm) DEEP



MLD1
Dolly (includes strap)



MLP1 Thermal Partition &
MLC1 Wire Caddy inside ML300



MLH1 (120V), **MLHX1** (240V)
Heater



MLS1
Carrying Strap

Model	Description	Dimensions (W x D x H)		12" x 20" – GN 1/1 Pan Capacity			Food Capacity (approx.)	Shipping	
		(in)	(mm)	2.5" 65mm	4" 100mm	6" 150mm		Pkd. Wt.	Volume
ML300	4 Pan Front-load Pan Carrier	17.25 x 27 x 19.75	438 x 686 x 502	4	3	2	45 qts (42.5 L)	11.6 lbs.(5.3 kg)	5.7 ft³ (.16 m³)
ML400	6 Pan Front-load Pan Carrier	17.25 x 27 x 25.75	438 x 686 x 654	6	4	3	60 qts (56.8 L)	14.1 lbs.(6.4 kg)	7.3 ft³ (.21 m³)

ML300 & ML400 will also hold 1/3, 1/2, 2/3 fractional sized hotel/GN pans.

Note: Part number for carrier with red lid is indicated above. For alternate door color options, select part numbers from the color chart on page 1.

{13.62}



Metro® Mightylite™ Insulated Food Carrier Accessories

Dolly (MLD1)


Heavy-duty, high-density polyethylene (HDPE) construction fastened to 0.100" (2.5mm) thick aluminum caster channels with rugged 5/16" (8mm) stainless steel tie-down anchors. Plate-mounted casters, 2 swivel and 2 swivel with brakes. 5" (127mm) diameter donut neoprene wheels. Load capacity 350 lbs. (158kg) per dolly. Includes 1" (25mm) x 15' (457 cm) long cam buckle strap with hooks. Dolly is designed to transport carriers or milk crates. Stores on top of carrier to save space.



Cat. No.	Description	Dimensions (W x D x H)		Product Weight	Shipping Weight	Shipping Volume
		(in)	(mm)			
MLD1	Dolly for ML300, 400, 180, 180XL (Includes Strap)	20.7 x 29.8 x 9.5	524 x 756 x 241	19.0 lbs. (8.6 kg)	20.0 lbs. (9.1 kg)	3.5 ft³ (0.99m³)

Thermal Partition (MLP1)


1.5" (38mm) thick insulated partition helps avoid accelerated food temperature loss or gain inside partially full carriers by minimizing empty space inside the carrier. Also use to separate hot and cold food in one carrier. Lightweight, insulated, durable expanded polypropylene (EPP) construction.



Cat. No.	Description	Dimensions (W x D x H)		Product Weight	Shipping Weight	Shipping Volume
		(in)	(mm)			
MLP1	Thermal Partition for ML300, 400, 180, 180XL	13 x 21 x 1.5	330 x 533 x 38	0.8 lbs. (0.4 kg)	1.5 lbs. (0.7 kg)	0.3 ft³ (0.01m³)

Wire Caddy (MLC1)

Can be used to hold hot and cold packs to extend holding times, as a support for disposable aluminum pans, or to organize and transport common items such as quart containers. Epoxy-coated. One included with every front-load carrier.



Cat. No.	Description	Dimensions (W x D x H)		Product Weight	Shipping Weight	Shipping Volume
		(in)	(mm)			
MLC1	Wire Caddy for ML300, 400	13 x 21 x 1	330 x 533 x 25	1.3 lbs. (0.6 kg)	2 lbs. (0.9 kg)	0.3 ft³ (0.01m³)

All Metro Catalog Sheets are available on our website: metro.com

{13.62}



Metro® Mightylite™ Insulated Food Carrier Accessories

Heater (MLH1, MLHX1)



Stainless steel, add-on carrier heater with polymer handles and rubber feet. Great for applications where carriers are frequently accessed or not 100% full or simply when added heat is desired to keep food hotter, safer, and more appetizing. Thermostatically controlled, reaches max temperature in approximately 10 minutes. Approximate top-center surface temperature range from 150°F (66°C) to 200°F (94°C). 72" long, permanently attached power cord with cord wrap. Power indicator lights up when plugged in.



Cat. No.	Description	Electrical Specifications	Dimensions (W x D x H)		Shipping Weight	Shipping Volume
			(in)	(mm)		
MLH1	120V Heater for ML300, 400, 180, 180XL	120V, 200W, NEMA 5-15P	20.6 x 12.4 x 1.6	524 x 315 x 40	9.2 lbs (4.2 kg)	0.3 ft³ (0.01 m³)
MLHX1	240V Heater for ML300, 400, 180, 180XL	240V, 200W, NEMA 6-15P	20.6 x 12.4 x 1.6	524 x 315 x 40	9.2 lbs (4.2 kg)	0.3 ft³ (0.01 m³)

Serving Ring (MLW1)

For use with top-load carriers and heater to transport & serve with a single solution that does not require water or canned fuel. Wire serving ring can also be used without carrier with chaffing pan and canned fuel. Accommodates full & fractional-sized pans and non-pan items, such as individually-portioned meals. Epoxy-coated wire construction.



Cat. No.	Description	Dimensions (W x D x H)		Product Weight	Shipping Weight	Shipping Volume
		(in)	(mm)			
MLW1	Serving Ring ML180, 180XL	21.7 x 12.8 x 7.8	551 x 325 x 199	3.7 lbs (1.7 kg)	4.7 lbs (2.1 kg)	1.4 ft³ (0.04 m³)

Carrying Strap (MLS1)

Heavy-duty adjustable strap designed to work with top-load and front-load carriers. Detachable handles can be quickly re-configured for one-handed or two-person carrying. 1" (25mm) wide, high-strength polyester webbing with low water absorption properties. Box-sewn stitch pattern with durable polymer / metal hardware



Cat. No.	Description	Shipping Weight	Shipping Volume
MLS1	Carrying Strap for ML300, 400, 180, 180XL	0.5 lbs (0.23 kg)	0.2 ft³ (0.005 m³)

SUPER PAN 3® & ACCESSORIES



THE WORLDWIDE PAN

- EN631-1 compliant for worldwide use
- Sturdy 22-gauge (.8 mm), 300 series stainless steel
- Anti-jamming lugs and reinforced spouted-shape corners
- NSF®-certified solid and slotted covers
- All accessories are specifically designed to serve the European market



Super Pan 3 Stainless Steel Pans

PAN SIZE AND DIMENSIONS	ITEM #	DEPTH IN (MM)	BRIMFUL CAPACITY QT (L)	PAN CASE LOT	SOLID COVER	SLOTTED COVER	WIRE GRATE	FALSE BOTTOM	CASE LOT
 FULL-SIZE 20 ⁷ / ₈ x 12 ³ / ₈ in. 530 X 325 mm 1/4	90002	3/4 (20)	Tray	6	—	—	74100*	70100	6
	90012	1 1/2 (40)	5.7 (5.4)	6	93100	94100	74100*	70100	6
	90052	2 (55)	7.7 (7.3)	6	93100	94100	74100*	70100	6
	90022	2 1/2 (65)	9 (8.5)	6	93100	94100	74100*	70100	6
	90042	4 (100)	14.2 (13.4)	6	93100	94100	74100*	70100	6
	90062	6 (150)	20.1 (19.9)	6	93100	94100	74100*	70100	6
	90082	8 (200)	27.5 (26.1)	3	93100	94100	74100*	70100	6
 TWO-THIRDS SIZE 13 ⁵ / ₈ x 12 ³ / ₈ in. 354 x 325 mm 2/3	90102	3/4 (20)	Tray	6	—	—	—	70110	6
	90112	1 1/2 (40)	3.6 (3.4)	6	93110	—	—	70110	6
	90122	2 1/2 (65)	5.7 (5.4)	6	93110	—	—	70110	6
	90142	4 (100)	8.5 (8)	6	93110	—	—	70110	6
	90162	6 (150)	12.6 (11.9)	3	93110	—	—	70110	6
	90182	8 (200)	16.4 (15.5)	3	93110	—	—	70110	6
 HALF-SIZE 12 ³ / ₈ x 10 ⁷ / ₈ in. 325 x 265 mm 1/2	90202	3/4 (20)	Tray	6	—	—	74200*	70200	6
	90212	1 1/2 (40)	2.6 (2.4)	6	93200	94200	74200*	70200	6
	90252	2 (55)	3.5 (3.3)	6	93200	94200	74200*	70200	6
	90222	2 1/2 (65)	4 (3.8)	6	93200	94200	74200*	70200	6
	90242	4 (100)	6.3 (6)	6	93200	94200	74200*	70200	6
	90262	6 (150)	9.4 (8.9)	6	93200	94200	74200*	70200	6
	90282	8 (200)	12.2 (11.6)	3	93200	94200	74200*	70200	6
 HALF-LONG SIZE 20 ⁷ / ₈ x 6 ³ / ₈ in. 530 x 162 mm 3/4	90502	3/4 (20)	Tray	6	—	—	—	70500	6
	90512	1 1/4 (30)	2.5 (2.4)	6	93500	94500	—	70500	6
	90552	2 (55)	3.3 (3.1)	6	93500	94500	—	70500	6
	90522	2 1/2 (65)	3.9 (3.7)	6	93500	94500	—	70500	6
	90542	4 (100)	6 (5.7)	3	93500	94500	—	70500	6
	90562	6 (150)	8.7 (8.2)	3	93500	94500	—	70500	6
 THIRD-SIZE 6 ⁵ / ₈ x 12 ³ / ₈ in. 176 x 325 mm 1/3	90302	3/4 (20)	Tray	6	—	—	74300*	70300	6
	90312	1 1/2 (40)	1.7 (1.6)	6	93300	94300	74300*	70300	6
	90352	2 (55)	2.1 (2)	6	93300	94300	74300*	70300	6
	90322	2 1/2 (65)	2.5 (2.4)	6	93300	94300	74300*	70300	6
	90342	4 (100)	3.9 (3.7)	6	93300	94300	74300*	70300	6
	90362	6 (150)	5.8 (5.5)	6	93300	94300	74300*	70300	6
	90382	8 (200)	7.5 (7.1)	3	93300	94300	74300*	70300	6

*Imported, not NSF

For pan layouts, see page 94.

Product selection continues on next two pages

PanaMax™ Dome Cover



- Patented low-profile design complements any chafer, serving line, or buffet application
- Durable ergonomic nylon handle is heat resistant up to 475°F (246°C)
- Mirror-finished stainless looks great and is easy to clean and maintain

ITEM #	DESCRIPTION	DIMENSIONS: IN (CM)	CASE LOT
49339	Full-size	21 x 13 x 4½ (53.3 x 33 x 11.4)	1

Solid Dome Cover



- Satin-finished, 300 series stainless steel
- Black Kool-Touch® handle stays comfortable to 220°F (104.4°C)
- Dome is 2½" (6.3 cm) high



ITEM #	DESCRIPTION	DIMENSIONS: IN (CM)	CASE LOT
77200	Full-size	21 x 12½ x 3¼ (53.3 x 32.7 x 9.5)	1
77500	Half-size	12½ x 10½ x 3¼ (32.7 x 27 x 9.5)	1

Hinged Covers

- Stainless steel
- Convenient hinge allows easy access to food without having to remove entire cover



ITEM #	DESCRIPTION	DIMENSIONS: IN (CM)	CASE LOT
77430	Full-size – flat	20⅞ x 12⅞ x ½ (53.2 x 32.7 x 1.3)	3
77400	Full-size – dome	21 x 12⅞ x 2½ (53.3 x 32.7 x 6.4)	1

Cover-All™ Aluminum Covers

- Use in place of foil or plastic wrap to eliminate ongoing disposable costs
- Two half-size covers fit full-size pan
- Recessed for more secure stacking and nesting



Note: Not recommended as an alternative to stainless steel covers.

ITEM #	DESCRIPTION	DIMENSIONS: IN (CM)	CASE LOT
68020	Full-size	20¾ x 12¾ (52.7 x 32.4)	6
68010*	Half-size	10¾ x 12¾ (26.4 x 32.4)	3

*Two per full-size pan recommended

Super Pan® Cold Cover

- 300 series stainless steel
- Store in freezer overnight and use in place of standard transport covers to keep cold foods chilled



ITEM #	PAN SIZE	DIMENSIONS: IN (CM)	CASE LOT
70009	1/1	21 x 12⅞ x 1⅞ (53.3 x 32.9 x 2.4)	6

Cold cover will only fit Super Pan V® transport pans

Kool-Touch Clip-On Handle

- Insulated black handle clips onto the recessed handle on stainless steel stockpot covers, inset covers, bain marie covers, and steam table pan covers (down to sixth-size)



ITEM #	DESCRIPTION	DIMENSIONS: IN (CM)	CASE LOT
52970	Clip-on handle	2 x ⅞ x 1⅞ (5 x 2.2 x 4.1)	12

High-Heat Nylon Spoodle® Utensil

- Ideal for nonstick cookware; will not scratch or mar surfaces
- High-temperature nylon – heat resistant to 475°F (246°C)
- One-piece construction is extremely durable and has no crevices to collect water or bacteria
- Built-in stopper notch prevents utensils from sliding into food product
- Capacities clearly stamped on utensil for easy size identification



BLACK ITEM #	WHITE ITEM #	DESCRIPTION	CAPACITY: OZ (ML)	OVERALL LENGTH: IN (CM)	CASE LOT
ROUND NYLON SPOODLE UTENSIL					
5283520	–	Solid	3 (88.7)	12 $\frac{1}{8}$ (30.7)	12
5283620	–	Perforated	3 (88.7)	12 $\frac{1}{8}$ (30.7)	12
5283720	–	Solid	4 (118.3)	12 $\frac{3}{8}$ (31.4)	12
5283820	–	Perforated	4 (118.3)	12 $\frac{3}{8}$ (31.4)	12
5283920	–	Solid	6 (177.4)	12 $\frac{5}{8}$ (31.9)	12
5284020	–	Perforated	6 (177.4)	12 $\frac{5}{8}$ (31.9)	12
OVAL NYLON SPOODLE UTENSIL					
5292620	–	Solid	3 (88.7)	12 $\frac{1}{8}$ (30.7)	12
5292720	–	Perforated	3 (88.7)	12 $\frac{1}{8}$ (30.7)	12
5292820	5292815	Solid	4 (118.3)	12 $\frac{3}{8}$ (31.4)	12
5292920	5292915	Perforated	4 (118.3)	12 $\frac{3}{8}$ (31.4)	12
5293320	–	Solid	6 (177.4)	12 $\frac{5}{8}$ (31.9)	12
5293420	–	Perforated	6 (177.4)	12 $\frac{5}{8}$ (31.9)	12

Spoodle Utensil with Grip ‘N Serv® Handles

- Color-coded handle for no-guess size selection
- Stainless steel shaft and bowl
- Stopper prevents Spoodle from sliding into pan when not in use
- Plastic handles are heat resistant to 230°F (110°C)
- Handles contain an all-natural antimicrobial material



SOLID ITEM #	PERFORATED ITEM #	HANDLE COLOR	CAPACITY: OZ (ML)	OVERALL LENGTH: IN (CM)	CASE LOT
61147	61145	Black	1 (29.6)	12 $\frac{1}{8}$ (31.6)	12
62157	62155	Blue	2 (59.1)	12 $\frac{1}{2}$ (31.8)	12
62167	62165	Ivory	3 (88.7)	13 $\frac{1}{8}$ (33.2)	12
62172	62170	Grey	4 (118.3)	13 $\frac{1}{2}$ (34.3)	12
62177	62175	Teal	6 (177.4)	13 $\frac{3}{8}$ (35.1)	12
62182	62180	Orange	8 (236.6)	14 $\frac{1}{8}$ (35.9)	12
61157	61155	Black	2 (59.1)	12 $\frac{1}{2}$ (31.8)	12
61167	61165	Black	3 (88.7)	13 $\frac{1}{8}$ (33.2)	12
61172	61170	Black	4 (118.3)	13 $\frac{1}{2}$ (34.3)	12
61174	–	Black	5 (148)	13 $\frac{3}{8}$ (35.1)	12
61177	61175	Black	6 (177.4)	13 $\frac{3}{8}$ (35.1)	12
61182	61180	Black	8 (236.6)	14 $\frac{1}{8}$ (35.9)	12

High-Temperature Nylon-End One-Piece Tongs

- High-temperature nylon is heat resistant up to 450°F (232°C)
- Nylon end will not scratch or mar nonstick surfaces
- Heavy-gauge stainless steel body
- Dishwasher safe
- Kool-Touch® handles are color safe up to 225°F (107.2°C)
- Fully functional to 350°F (176.6°C)



ITEM #	COLOR	OVERALL LENGTH: IN (CM)	CASE LOT
4780912	—	9½ (24.1)	12
4781212	—	12 (30.5)	12
4781612	—	16 (40.6)	12
WITH COATED HANDLES			
4780922	Black	9½ (24.1)	12
4781222	Black	12 (30.5)	12
4781622	Black	16 (40.6)	12
478091280*	Purple	9½ (24.1)	12

*Purple color for use with allergen-free foods

Multi-Pack Color-Coded NSF® Utility Tong

- Includes 6 color-coded tongs – one each of black, blue, red, yellow, tan, and green



ITEM #	OVERALL LENGTH: IN (CM)	CASE LOT
4780911	9½ (24.1)	3

Pom Tongs

- One-piece stainless steel construction
- Kool-Touch handles contain an all-natural antimicrobial material
- Kool-Touch handles are color safe up to 225°F (107.2°C)
- Fully functional to 350°F (176.6°C)
- Heavy-duty tongs are 20 gauge
- Dishwasher safe



ITEM #	OVERALL LENGTH: IN (CM)	CASE LOT
KOOL-TOUCH POM TONGS		
47326	6 (15.2)	12
47329	9 (22.9)	12
47322	12 (30.5)	12
HEAVY-DUTY POM TONGS		
47046	6 (15.2)	36
47049	9 (22.9)	24
47042	12 (30.5)	12
ECONOMY POM TONGS		
47106	6 (15.2)	60
47109	9 (22.9)	48
47112	12 (30.5)	12



Step up to Winco® Prime – A Cut Above

NSF® *PORTIONERS*



FPSN-SERIES



FPPN-SERIES

The Winco® Prime family of products are NSF® listed, an assurance that every effort has been made to provide a safe and durable product at an affordable price.

Count on Winco Prime, products made to endure in the most demanding food service environment!



ONE-PIECE STAINLESS STEEL PORTION CONTROLLERS

◆ 1.2mm thick stainless steel

ITEM	DESCRIPTION	STYLE	COLOR	UOM	CASE
FPSN-1	1 Oz	Solid	Black	Each	12/72
FPSN-2	2 Oz	Solid	Blue	Each	12/72
FPSN-3	3 Oz	Solid	Tan	Each	12/72
FPSN-4	4 Oz	Solid	Gray	Each	12/72
FPSN-6	6 Oz	Solid	Green	Each	12/72
FPSN-8	8 Oz	Solid	Orange	Each	12/72
FPPN-1	1 Oz	Perforated	Black	Each	12/72
FPPN-2	2 Oz	Perforated	Blue	Each	12/72
FPPN-3	3 Oz	Perforated	Tan	Each	12/72
FPPN-4	4 Oz	Perforated	Gray	Each	12/72
FPPN-6	6 Oz	Perforated	Green	Each	12/72
FPPN-8	8 Oz	Perforated	Orange	Each	12/72



ALUMINUM BAKING PANS



Item #: _____ Qty #: _____

Model #: _____

Project #: _____

FEATURES:

Die formed from one sheet aluminum.

Wire reinforced top perimeter edge for optimum strength.


Pans "nest" to maximize storage.

MATERIAL:

Heavy gauge aluminum.

MODEL #	Size	Style	Gauge	Weight
18-A-26	18" x 26" x 1"	Heavy Duty	16	48 lbs. per dz.
18-8A-26	18" x 26" x 1"	Standard	18	40 lbs. per dz.
18-8P-26	18" x 26" x 1"	Perforated	18	33 lbs. per dz.
18-8A-13	18" x 13" x 1"	Half size	18	24 lbs. per dz.

Pan Rack Accessories



Bun Pan Rack Covers with 3 Zippers

28" L x 23" W x 62" H

PRC-1



PRC-2



RA-24

MODEL #	Description	Qty.
RA-10	Pan Stop	
RA-20	Track Pin	
RA-24	12" Tall Vertical Bumpers (Set of 4)	
RA-25	5" Stem Bolted Caster	
RA-26	5" Stem Bolted Caster w/ Brake	
RA-25SV	5" Stem Bolted Caster (For PR18-3K, PR20-3K & PR12-5K Only)	
RA-26SV	5" Stem Bolted Caster w/Brake (For PR18-3K, PR20-3K & PR12-5K Only)	
RA-30	4" Plate Caster w/ built-in Zerk Grease Fitting	
RA-35	4" Plate Caster w/ Brake w/ built-in Zerk Grease Fitting	
RA-40	4" Hi-temp Oven Plate Caster w/ built-in Zerk Grease Fitting	
RA-45	4" Hi-temp Oven Plate Caster w/ Brake w/ built-in Zerk Grease Fitting	
RA-50	3" Bun Pan Dolly Caster	
RA-55	4" Set of Plate Casters, Factory Installed	
RA-60	5" Heavy Duty Stem Caster for Universal & Oval Racks Only	
RA-65	5" Heavy Duty Stem Caster with Brake for Universal & Oval Racks Only	
PRC-1	Enclosed Heavy Duty Plastic Cover with Clear Front	
PRC-2	Economy See-Thru Plastic Cover	
ORL-B	Oven Lift for Front Load Pan Racks	



Customer Service Available To Assist You **1-800-645-3166** 8:30 am - 8:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900


For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933

CAMWEAR® FOOD PANS




FULL SIZE




CONFIGURATIONS	PAN CODE	PAN DEPTH	APPROXIMATE CAPACITY
GN 1/1 12 ³ / ₄ " x 20 ⁷ / ₈ " (32,5 x 53 cm)	12CW	2 ¹ / ₂ " (6,5 cm)	8.9 qt.
	14CW	4" (10)	13.7
	16CW	6" (15)	20.6
	18CW	8" (20)	27
	10CWD	—	Drain shelf

HALF SIZE LONG




GN 1/2 Long 6 ³ / ₈ " x 20 ⁷ / ₈ " (16,2 x 53 cm)	22LPCW	2 ¹ / ₂ " (6,5)	3.2
	24LPCW	4" (10)	5.3
	20LPCWD	—	Drain shelf

HALF SIZE




GN 1/2 10 ⁷ / ₁₆ " x 12 ³ / ₄ " (26,5 x 32,5 cm)	22CW	2 ¹ / ₂ " (6,5)	4.1
	24CW	4" (10)	6.3
	26CW	6" (15)	9.4
	28CW	8" (20)	12.4
	20CWD	—	Drain shelf

ONE THIRD SIZE




GN 1/3 6 ¹⁵ / ₁₆ " x 12 ³ / ₄ " (17,6 x 32,5 cm)	32CW	2 ¹ / ₂ " (6,5)	2.5
	34CW	4" (10)	3.8
	36CW	6" (15)	5.6
	38CW	8" (20)	7.3
	30CWD	—	Drain shelf

QUARTER SIZE




GN 1/4 6 ³ / ₈ " x 10 ⁷ / ₁₆ " (16,2 x 26,5 cm)	42CW	2 ¹ / ₂ " (6,5)	1.8
	44CW	4" (10)	2.7
	46CW	6" (15)	3.9
	40CWD	—	Drain shelf

ONE SIXTH SIZE




GN 1/6 6 ³ / ₈ " x 6 ¹⁵ / ₁₆ " (16,2 x 17,6 cm)	62CW	2 ¹ / ₂ " (6,5)	1.1
	64CW	4" (10)	1.6
	66CW	6" (15)	2.4
	60CWD	—	Drain shelf

ONE EIGHTH SIZE



GN 1/8 6 ⁵ / ₁₆ " x 5 ³ / ₁₆ " (16,12 x 13,17 cm)	82CW*	2 ¹ / ₂ " (6,5)	0.7
	84CW	4" (10)	1.1
	86CW	6" (15)	1.5
	80CWD	—	Drain shelf

ONE NINTH SIZE



GN 1/9 4 ¹ / ₄ " x 6 ¹⁵ / ₁₆ " (10,8 x 17,6 cm)	92CW	2 ¹ / ₂ " (6,5)	0.6
	94CW	4" (10)	0.9
	96PCW	6" (15)	1.4
	90CWD	—	Drain shelf

Case Pack: 6.

InStock Color: Clear (135).

96PCW InStock Color: Clear (135), Black (110).

Colors: Clear (135), White (148), Black (110). *82CW is not available in Black (110). 18CW, 28CW and Drain Shelves available in Clear (135) only.

All Camwear food pans are made of FDA approved materials. All Camwear food pans are designed to CEN Gastronorm Standard EN 631-1.



CA PROP 65

Drain Shelves

- Keeps products out of liquids and promotes drainage.
- Available for all food pan sizes.



96PCW



Quote

09/04/2026

Project:

Stroudsburg SD- Arlington ES-
EQUIP

From:

Singer Equipment Company
Jim Burke
150 S. Twin Valley Rd.
Elverson, PA 19520-
800-422-8126
610-387-6463 (Contact)

Project Code: STROUDSB

Job Reference Number: 205963

This is a quote (the "Quote") to provide equipment and/or services. This Quote includes the conditions presented below and the terms that are included at <https://www.singerequipment.com/policies/quote-terms-conditions> (the "Terms").

When you accept this Quote, as provided below, this Quote, together with the Terms, will form a binding contract (the "Contract") between you and Singer Equipment Company, Inc., ("Singer").

Item	Qty	Description	Sell	Sell Total
1	1 ea	SERVING COUNTER, COLD FOOD  Vollrath Model No. R38773 2-Series Affordable Portable™ Refrigerated Cold Food Pan with cherry woodgrain wrapper with easy access fully enclosed clear acrylic Buffet NSF2 breath guard, 12" clearance, 46"W x 39-1/2"D x 35"H, solid base, 3-pan size, 6" deep stainless well, 1" drain, MTO-10 working days plus day for order entry, with locking casters, 120v/60/1-ph, NEMA 5-15P, UL, NSF, Made in USA, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 59(h) x 46(w) x 39.5(d)	\$6,935.75	\$6,935.75
	2 ea	NF39946 2-Series Affordable Portable™ Tray Slide, removable, non-folding, 46", 300 series stainless steel, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy)	\$803.21	\$1,606.42
ITEM TOTAL:				\$8,542.17
2	1 ea	HOT FOOD SERVING COUNTER / TABLE  Vollrath Model No. T38767 2-Series Affordable Portable™ Hot Food Station Deluxe, (3) well, 46"W x 28-5/8"D x 57-5/16"H (overall), with buffet style breath guard, enclosed base, individual manual dial controls for each 480 watts thermostet sealed well (no spillage pans required), manifold drain, cherry woodgrain vinyl-clad 20 gauge carbon steel base, (4) 4" swivel casters (2) braked, 120v/60/1-ph, 12 amps, cord with	\$3,818.37	\$3,818.37

Item	Qty	Description	Sell	Sell Total
		NEMA 5-15P, cULus, NSF, Made in USA, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy) Dimensions 57.31(h) x 46(w) x 28.63(d)		
	2 ea	NF39946 2-Series Affordable Portable™ Tray Slide, removable, non-folding, 46", 300 series stainless steel, made to order, cannot be cancelled or returned (Refer to vollrathfoodservice.com for full warranty policy)	\$803.21	\$1,606.42
		ITEM TOTAL:		\$5,424.79
3	1 ea	WORK TABLE, CABINET BASE SLIDING DOORS Advance Tabco Model No. CB-SS-304 (NS_10001277) Work Table, 48"W x 30"D, cabinet base with sliding doors, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF Dimensions 35.5(h) x 48(w) x 30(d)	\$2,881.42	\$2,881.42
		ITEM TOTAL:		\$2,881.42
4	1 ea	WORK TABLE, CABINET BASE OPEN FRONT Advance Tabco Model No. EB-SS-304 (NS_10001441) Work Table, 48"W x 30"D, open front cabinet base, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF Dimensions 35.5(h) x 48(w) x 30(d)	\$2,123.87	\$2,123.87
		ITEM TOTAL:		\$2,123.87
5	2 ea	WALL GRID SHELVEING UNIT Cambro Model No. EWS36TASK110 Camshelving® Elevation Series Wall Shelving Task Station Starter Kit, 18" x 36" x 30-1/4", includes: (1) 40" aluminum wall track, (2) 30" wall uprights, (2) 18" deep universal shelf brackets, (1) 18" x 36" vented shelf with CamGuard® antimicrobial shelf plates, (1) 18" x 36" hanging pegboard, black, NSF, Made in USA	\$354.11	\$708.22
		ITEM TOTAL:		\$708.22
6	4 ea	WALL GRID SHELVEING ACCESSORIES Cambro Model No. EWSSBA18110 Camshelving® Elevation Series Wall Shelving Bracket, 18", angle, black, NSF, Made in USA	\$30.52	\$122.08
		ITEM TOTAL:		\$122.08
7	2 ea	WALL GRID SHELF Cambro Model No. EWSSKA1836V580 Camshelving® Elevation Series Wall Shelving Add-On Shelf Kit, 18" x 36", includes (1) open shelf frame, (1) straight universal shelf bracket, vented shelf plates with CamGuard® antimicrobial protection, brushed graphite, NSF, Made in USA	\$126.00	\$252.00
		ITEM TOTAL:		\$252.00

Item	Qty	Description	Sell	Sell Total
8	1 ea	DELIVERY Singer Equipment Company Model No. DELIVERY Singer Equipment to deliver, uncrate and set in place.	\$650.00	\$650.00
			ITEM TOTAL:	\$650.00
			Total	\$20,704.55

Prices Good Until: 10/04/2026

Prices are valid for 10 days unless otherwise noted herein, thereafter reconfirm.

In the event of an increase in U.S. published tariffs resulting in an increase of Singer's cost for Goods that are subject to a Proposal or an order by Customer, Singer may, prior to Customer's payment in full for such Goods, increase the price for such Goods by an amount equal to the increase of Singer's cost.

Unless otherwise noted herein, freight charges are NOT included.

Warranties

Manufacturer's standard warranties are included. No other warranty is extended or implied unless otherwise noted herein, and ALL OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION WARRANTIES OF FITNESS FOR A PARTICULAR PURPOSE, ARE DISCLAIMED TO THE FULLEST EXTENT ALLOWED BY LAW.

Taxes

Prices do not include sales nor use tax unless otherwise noted herein. All applicable taxes are subject to the current rate at time of final invoicing and are the responsibility of the customer.

Payment Terms

Unless otherwise noted herein, standard payment terms are 50% due at signing of quote and acceptance of terms and conditions, and the remaining balance will be due prior to delivery. Prices are quoted based on check or ACH as a form of payment. Credit card payment may incur a service charge on the total order.

[See link to the Terms and Conditions, Return/Cancellation Section](#) for the return and cancellation terms applicable to this Quote.

[See link to the Terms and Conditions, Delivery Section](#), for delivery and shipping terms applicable to this Quote.

[See link to the Terms and Conditions, Scope of Work Section](#), for the scope of Singer's work and exclusions therefrom applicable to this Quote.

Please read this quotation carefully as it is based upon our interpretation of the items being requested. Review this quotation for errors, omissions or inaccuracies of any kind. The customer is responsible to verify all measurements, directions of operation, voltages and utility specifications prior to ordering. Any changes to the above may incur a price adjustment.

TO ACCEPT THE QUOTE AND THE TERMS, AND TO CONFIRM OUR CONTRACT, PLEASE EITHER:

- A. **Select the "ACCEPT" button at the bottom of the screen which will prompt you to execute an electronic signature, which we accept.** *By executing this Quote and the Contract hereby created, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

- B. Print, sign and return this entire document to your Singer Representative or Copy and Paste this entire document into your confirming acceptance email and send the email to your Singer Representative.

As an authorized representative of the undersigned customer, the undersigned hereby confirms and accepts [the terms of the Quote and the Terms at https://www.singerequipment.com/policies/quote-terms-conditions](https://www.singerequipment.com/policies/quote-terms-conditions), which I hereby confirm on behalf of the Customer, I have reviewed and accepted, and thus confirm and the Contract between the undersigned Customer and Singer intending the undersigned Customer to be legally bound by the terms of the Contract hereby formed.

AS THE AUTHORIZED REPRESENTATIVE OF THE CUSTOMER, I FURTHER CONFIRM THAT ANY PRE-PRINTED TERMS THE CUSTOMER MAY INCLUDE ON ANY PURCHASE ORDER OR CONFIRMATION WILL NOT AMEND THIS QUOTE OR THE CONTRACT AND WILL NOT BE BINDING ON SINGER AND ARE EXPRESSLY EXCLUDED.

If you are an individual, YOU HEREBY CONFIRM THAT YOU ARE OF LEGAL AGE TO CONTRACT IN YOUR JURISDICTION (18 OR 19 DEPENDING UPON YOUR STATE), and are signing and returning this Contract as your voluntary act and deed, intending to be legally bound by this Contract, which includes the above Quote and the Terms at <https://www.singerequipment.com/policies/quote-terms-conditions>, both of which I hereby ACCEPT.

WE ACCEPT ELECTRONIC SIGNATURES. *By executing this Quote and the Contract hereby created, as the authorized representative of the Customer, you are authorizing Singer to rely on your electronic signature as binding confirmation of your agreement to Contract. In addition, by executing this Quote, on behalf of the Customer, you are expressly acknowledging and agreeing to the Contract thereby created, comprised of this Quote and the Singer Terms, and the terms on each and every page of the Contract.*

Insert name
of customer: _____

By (signature): _____

Name (print): _____

Title (print): _____

Date: _____



Get Started Today!

Apply Now for Flexible Financing
with Singer Finance Powered by LEAF!

[Click Here to complete the application](#)

VOLLRATH®

Project:

Item Number:

Quantity:

AFFORDABLE PORTABLE™ REFRIGERATED COLD FOOD STATIONS



FEATURES & BENEFITS

- Station is constructed of vinyl-clad, 20-gauge carbon steel.
- Units utilize R290 refrigerant, which has a lower GWP (Global Warming Potential) than many previously-used refrigerants.
- Foamed-in-place polyurethane insulation provides efficiency and performance.
- NSF2 buffet or NSF2 cafeteria-style acrylic breath guard protects food from germs.
- Five colors options fit well with any design aesthetic.
- 1" (2.54 cm) integral drain makes cleanup easy.
- 8 ft (2.4 m) cord with plug allows placement options.
- Casters lock to ensure stability.

WARRANTY

All models shown come with Vollrath's standard warranty against defects in materials and workmanship, with an additional four years on the compressor. For full warranty details, please refer to vollrathfoodservice.com.

AGENCY LISTING



Due to continued product improvement, please consult vollrathfoodservice.com for current product specifications.

Approvals	Date


ITEMS

Description 120V	Solid Base		Solid Base w/ Lights		Open Storage Base		Open Storage w/ Lights		Storage Base w/ Door		Storage Base w/ Door & Lights	
With NSF2 Breath Guard	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria	Buffet	Cafeteria
Black												
3-Pan 46"	R38713	R39713	R3871346	n/a	R38714	R39714	R3871446	n/a	R38715	R39715	R3871546	n/a
4-Pan 60"	R38716	R39716	R3871660	n/a	R38717	R39717	R3871760	n/a	R38718	R39718	R3871860	n/a
Walnut Grain												
3-Pan 46"	R38950	R39950	R3895046	n/a	R38951	R39951	R3895146	n/a	R38952	R39952	R3895246	n/a
4-Pan 60"	R38960	R39959	R3896060	n/a	R38961	R39961	R3896160	n/a	R38962	R39962	R3896260	n/a
Cherry Grain												
3-Pan 46"	R38773	R39773	R3877346	n/a	R38774	R39774	R3877546	n/a	R38775	R39775	R3877546	n/a
4-Pan 60"	R38776	R39776	R3877660	n/a	R38777	39777	R3877860	n/a	R38778	R39778	R3877860	n/a
Granite												
3-Pan 46"	R38733	R39733	R3873346	n/a	R38734	R39734	R3873446	n/a	R38735	R39735	R3873546	n/a
4-Pan 60"	R38736	R39736	R3873660	n/a	R38737	R39737	R3873760	n/a	R38738	R39738	R3873860	n/a
Brushed Aluminum												
3-Pan 46"	R38733A	R39733A	R3873346A	n/a	R38734A	R39734A	R3873446A	n/a	R38735A	R39735A	R3873546A	n/a
4-Pan 60"	R38736A	R39736A	R3873660A	n/a	R38737A	R39737A	R3873760A	n/a	R38738A	R39738A	R3873860A	n/a


AFFORDABLE PORTABLE™ REFRIGERATED COLD FOOD STATIONS

DIMENSIONS — Shown in inches (cm)


3-Pan Refrigerated Cold Station with NSF2 Cafeteria Breath Guard




4-Pan Refrigerated Cold Station with NSF2 Cafeteria Breath Guard



3-Pan Refrigerated Cold Station with NSF2 Buffet Breath Guard



4-Pan Refrigerated Cold Station with NSF2 Buffet Breath Guard



3-Well Storage Opening: 24 X 23 X 16 1/2 (61 x58 x 42)

4-Well Storage Opening: 36 X 23 X 16 1/2 (91.59 x58 x 42)

NOTICE: A minimum of 3" clearance in front of vents is required for unobstructed airflow. For best performance, prevent drafts and air currents from passing over the display surface. Follow all regulations, warnings, and cautionary guidance specific to products that utilize R290 refrigerant.

ACCESSORIES

Item	300 Series Stainless Steel	Stainless Steel	Poly-ethylene	Fold-Down Mounting Brackets	Depth Inches (cm)	Added Depth when Folded	24" (61 cm) Item #	46" (117 cm) Item #	60" (152 cm) Item #	Add NF Before Item # for non-folding	White Item #	Red Item #
Tray Slides with 11" (27.9) tray area	X	--	--	X	11 1/2 (29.2)	5 1/2 (14)	39924	39946	39960	X	--	--
Cutting Boards	--	--	X	X	7 (17.8)	4 (10.2)	39824	39846	39860	--	--	--
Plate Rests	--	X	--	X	7 (17.8)	4 1/2 (11.4)	38992	38993	38994	X	--	--
Infrared Lamp Bulbs, 250W (12)	--	--	--	--	--	--	--	--	--	--	72442	72441

SPECIFICATIONS

Item	Clearance	HP	Peak Heat of Rej. (BTUH)	Amp	Refrig. Charge	V	Plug	Recept-acle
3-Pan	3" (7.6 CM) min. clearance in front of vents for unobstructed airflow	1/4	2800	3.2	60 grams	120	NEMA 5-15P	NEMA 5-15R 
3-Pan w/Lights*				3.8				
4-Pan		1/3	4800	5.2	55 grams			
4-Pan w/Lights*				6.5				

*Incandescent lamps (40W maximum per fixture)

Technical Services
 techservicereps@vollrathco.com
 Induction: 800.825.6036
 Countertop Warming: 800.354.1970
 Other Products: 800.628.0832



The Vollrath Company, L.L.C.
 1236 North 18th Street
 Sheboygan, WI 53081-3201 U.S.A.
 Main Tel: 800.624.2051 or 920.457.4851
 Main Fax: 800.752.5620 or 920.459.6573
 Customer Service: 800.628.0830
 Canada Customer Service: 800.695.8560



Outperform every day.™

Project:

Item Number:

Quantity:

Affordable Portable™ Deluxe Hot Food Stations

The Vollrath Company, L.L.C.

AFFORDABLE PORTABLE™ DELUXE HOT FOOD STATIONS



Affordable Portable™ Deluxe Hot Food Station Shown
with NSF2 Buffet Breath Guard

DESCRIPTION & FEATURES

- Constructed of vinyl-clad, 20-gauge carbon steel.
- 20 gauge 300 series stainless steel work surface.
- Thermoset wells with high-efficiency 480W in-water heating element.
- Available in seven versatile colors.
- Sealed well - no spillage pans required.
- Manifold drains.
- NSF2 buffet or NSF2 cafeteria style acrylic breath guard.
- Two locking casters.
- Dial controls.
- 8 ft. power cord.
- **Affordable Portable™ orders cannot be canceled or returned.**

Lighting Option

- Factory-installed option
- Requires Buffet breath guard
- 120V
- Bulbs not included

WARRANTY

All models shown come with Vollrath's standard warranty against defects in materials and workmanship. For full warranty details, please refer to www.Vollrath.com.

ITEMS

Description	Black	Walnut Woodgrain	Cherry Woodgrain	Granite	White	American Natural	Brushed Aluminum
3 Well NSF2 Buffet Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T38707	T38935	T38767	T38727	T38727W	T38727N	T38727A
Solid Base w/ Lights ^②	T3870746	T3893546	T3876746	T3872746	T3872746W	T3872746N	T3872746A
Open Storage Base ^①	T38708	T38936	T38768	T38728	T38728W	T38728N	T38728A
Open Storage w/ Lights ^②	T3870846	T3893646	T3876846	T3872846	T3872846W	T3872846N	T3872846A
Storage Base w/ Door ^①	T38709	T38937	T38769	T38729	T38729W	T38729N	T38729A
Storage w/ Door, w/Lights ^②	T3870946	T3893746	T3876946	T3872946	T3872946W	T3872946N	T3872946A
3 Well NSF2 Cafeteria Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T39707	T39935	T39767	T39727	T39727W	T39727N	T39727A
Open Storage Base ^①	T39708	T39936	T39768	T39728	T39728W	T39728N	T39728A
Storage Base w/ Door ^①	T39709	T39937	T39769	T39729	T39729W	T39729N	T39729A
4 Well NSF2 Buffet Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T38710	T38945	T38770	T38730	T38730W	T38730N	T38730A
Solid Base w/ Lights ^②	T3871060	T3894560	T3877060	T3873060	T3873060W	T3873060N	T3873060A
Open Storage Base ^①	T38711	T38946	T38771	T38731	T38731W	T38731N	T38731A
Open Storage w/ Lights ^②	T3871160	T3894660	T3877160	T3873160	T3873160W	T3873160N	T3873160A
Storage Base w/ Door ^①	T38712	T38947	T38772	T38732	T38732W	T38732N	T38732A
Storage w/ Door, w/ Lights ^②	T3871260	T3894760	T3877260	T3873260	T3873260W	T3873260N	T3873260A
4 Well NSF2 Cafeteria Breath Guard Deluxe Hot Food Station – 120V							
Solid Base ^①	T39710	T39945	T39770	T39730	T39730W	T39730N	T39730A
Open Storage Base ^①	T39711	T39946	T39771	T39731	T39731W	T39731N	T39731A
Storage Base w/ Door ^①	T39712	T39947	T39772	T39732	T39732W	T39732N	T39732A

① For 208-240V without lights, add 2 to the item number.

② For 120/208 and 120/240V with lights, add 4 to the item number.

Due to continued product improvement, please consult
www.vollrath.com for current product specifications.

Approvals

Date



Outperform every day.™

www.vollrath.com

The Vollrath Company, L.L.C.

1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830
Canada Customer Service: 800.695.8560

Technical Services
techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products: 800.354.1970
All Other Products: 800.628.0832

AFFORDABLE PORTABLE™ DELUXE HOT FOOD STATIONS

ACCESSORIES AND ADD-ONS

Tray Slides

- ☐ 39924 Fits 24" (61 cm)
- ☐ 39946 Fits 46" (117 cm)
- ☐ 39960 Fits 60" (152 cm)



- 300 Series stainless steel
- Fold-down mounting brackets
- 11" (27.9) tray area
- 11½" (29.2) depth
- Adds 5½" (14 cm) to depth in folded position
- Add NF in front of the item number for non-folding mode

Cutting Boards

- ☐ 39824 Fits 24" (61 cm)
- ☐ 39846 Fits 46" (117 cm)
- ☐ 39860 Fits 60" (152 cm)



- Polyethylene
- Fold-down mounting brackets
- 7" (17.8 cm) depth
- Add 4" (10.2 cm) to depth in folded position

Infrared Lamp Bulbs

- ☐ 72242 White, 250W, 1 Dozen
- ☐ 72241 Red, 250W, 1 Dozen

Plate Rests

- ☐ 38992 Fits 24" (61 cm)
- ☐ 38993 Fits 46" (117 cm)
- ☐ 38994 Fits 60" (152 cm)



- Stainless steel
- Fold-down mounting brackets
- 7" (17.8 cm) depth
- Adds 4½" (11.4 cm) to depth in folded position
- Add NF in front of the item number for non-folding model


ELECTRICAL SPECIFICATIONS

Description	Volts	Hz	Amps	Watts per Well	Electrical Service Amps	NEMA Plug	
3 Well	120	60	12	480	15	5-15P	
4 Well			16		20	5-20P	
3 Well	208-240		8.7-10	600-800	15	6-15P	
4 Well			11.5-13.3		20	6-20P	
3 Well with Lights*	120		18.3	480	30	5-30P	
4 Well with Lights*			24.3		50	5-50P	
3 Well with Lights*	120/208-240		12.9-14.2	600-800	20	14-20P	
4 Well with Lights*			15-16.3		30	14-30P	


* Incandescent lamps (250W maximum per fixture)

DIMENSIONS (Shown in inches (cm))

3 Well Deluxe Hot Food Station with NSF2 Cafeteria Breath Guard




3 Well Deluxe Hot Food Station with NSF2 Buffet Breath Guard




3 Well Storage Opening: 24 x 23 x 16½ (61 x 58 x 42)

4 Well Deluxe Hot Food Station with NSF2 Cafeteria Breath Guard



4 Well Deluxe Hot Food Station with NSF2 Buffet Breath Guard



4 Well Storage Opening: 36 x 23 x 16½ (91.52/7/17 x 58 x 42)



Outperform every day.™

www.vollrath.com

The Vollrath Company, L.L.C.

1236 North 18th Street
Sheboygan, WI 53081-3201 U.S.A.
Main Tel: 800.624.2051 or 920.457.4851
Main Fax: 800.752.5620 or 920.459.6573
Customer Service: 800.628.0830
Canada Customer Service: 800.695.8560

Technical Services
techservicereps@vollrathco.com
Induction Products: 800.825.6036
Countertop Warming Products: 800.354.1970
All Other Products: 800.628.0832



STAINLESS STEEL SLIDING DOOR STYLE ENCLOSED BASE WORK TABLES



Flat Top



1 1/2" Backsplash



5" Backsplash



FEATURING BOLT-ON
STAINLESS STEEL LEG

Item #: _____ Qty #: _____
Model #: _____
Project #: _____

FEATURES:

FLAT TOP is furnished with a 1 5/8" sanitary rolled rim on the front and 1 5/8" square bend edges on the 2 sides and rear.

1 1/2" SPLASH is furnished with a 1 5/8" sanitary rolled rim on the front side and 1 5/8" square bend edges on the 2 sides and a 1 1/2" splash of single metal thickness on the rear side.

5" SPLASH is furnished with a 1 5/8" sanitary rolled rim on the front side and 1 5/8" square bend edges on the 2 sides and a 5" splash with a 1" return on the rear side.

SLIDING DOORS have recessed handles for ease in opening and closing.

Rear flush panel along the rear of the base unit.

CONSTRUCTION:

All TIG welded. Exposed areas finished to match adjacent surfaces.

Entire Top is mechanically polished to a satin finish and is sound deadened.

Hat section secured to Top reinforces and maintains level working surface.

UNI-BODY DESIGN sides, back and fixed mid shelf (sold separately) are welded to form a single rigid structure.

Legs bolt on to table base.

MATERIAL:

TOP is 14 gauge stainless steel type "304" series with galvanized understructure.

BODY is 18 gauge stainless steel type "430" series.

LEGS are stainless steel and include 1 1/2" adjustable hex foot.

	L	FLAT TOP	1 1/2" SPLASH	5" SPLASH	C	# of Doors	Approx. Wt.	Approx. Cu. Ft.
24" WIDE	48"	CB-SS-244	CF-SS-244	CK-SS-244	18"	2	183 lbs.	38
	60"	CB-SS-245	CF-SS-245	CK-SS-245	18"	2	235 lbs.	47
	72"	CB-SS-246	CF-SS-246	CK-SS-246	18"	2	275 lbs.	56
	84"	CB-SS-247	CF-SS-247	CK-SS-247	18"	4	335 lbs.	66
	96"	CB-SS-248	CF-SS-248	CK-SS-248	18"	4	375 lbs.	74
	108"	CB-SS-249	CF-SS-249	CK-SS-249	18"	4	410 lbs.	83
	120"	CB-SS-2410	CF-SS-2410	CK-SS-2410	18"	4	450 lbs.	92
30" WIDE	144"	CB-SS-2412	CF-SS-2412	CK-SS-2412	18"	4	495 lbs.	109
	48"	CB-SS-304	CF-SS-304	CK-SS-304	24"	2	210 lbs.	45
	60"	CB-SS-305	CF-SS-305	CK-SS-305	24"	2	245 lbs.	55
	72"	CB-SS-306	CF-SS-306	CK-SS-306	24"	2	290 lbs.	66
	84"	CB-SS-307	CF-SS-307	CK-SS-307	24"	4	350 lbs.	76
	96"	CB-SS-308	CF-SS-308	CK-SS-308	24"	4	395 lbs.	87
	108"	CB-SS-309	CF-SS-309	CK-SS-309	24"	4	430 lbs.	97
36" WIDE	120"	CB-SS-3010	CF-SS-3010	CK-SS-3010	24"	4	490 lbs.	107
	144"	CB-SS-3012	CF-SS-3012	CK-SS-3012	24"	4	555 lbs.	128
	48"	CB-SS-364	CF-SS-364	CK-SS-364	30"	2	225 lbs.	53
	60"	CB-SS-365	CF-SS-365	CK-SS-365	30"	2	270 lbs.	65
	72"	CB-SS-366	CF-SS-366	CK-SS-366	30"	2	315 lbs.	77
	84"	CB-SS-367	CF-SS-367	CK-SS-367	30"	4	383 lbs.	90
	96"	CB-SS-368	CF-SS-368	CK-SS-368	30"	4	425 lbs.	102
	108"	CB-SS-369	CF-SS-369	CK-SS-369	30"	4	470 lbs.	114
	120"	CB-SS-3610	CF-SS-3610	CK-SS-3610	30"	4	515 lbs.	126
	144"	CB-SS-3612	CF-SS-3612	CK-SS-3612	30"	4	605 lbs.	151

Mid Shelves Are Available.

To Add a Fixed Mid Shelf, Add "M" After each Model Number.
Upgrade to Adjustable Mid Shelf. Add TA-116.



Customer Service Available To Assist You 1-800-645-3166 8:30 am - 7:00 pm E.S.T.

For Orders & Customer Service:

Email: customer@advancetabco.com or Fax: 631-242-6900

For Smart Fabrication™ Quotes:

Email: smartfab@advancetabco.com or Fax: 631-586-2933




DETAILS and SPECIFICATIONS

TOL $\pm$.500"




Units 7' and larger are furnished with 6 legs.

ALL DIMENSIONS ARE TYPICAL




CB-Series Flat Top




CF- Series 1 1/2" Rear Splash



CK-Series 5" Rear Splash




OPTIONAL MID SHELF DETAILS



OPTIONAL ENCLOSED BASE MODIFICATIONS & ACCESSORIES

- **TA-19L** Replacement Bolt-on Leg With Flanged Bullet Foot
- **TA-20L** Replacement Bolt-on Leg
- **TA-42** Interior Partition, 2-1/2" x 30" (each)
- **TA-46** Door Locks
- **TA-54** Removable Kick Plate
- **TA-116** Cabinet Mid Shelf* (Sold Separately)
- **TA-118** Partial Mid Shelf (Sold Separately)
- **TA-255P** 5" Heavy Duty Polyurethane Casters (Set of 4 - 2 w/ Brakes)
- **TA-255AP** 5" Heavy Duty Polyurethane Casters (Set of 6 - 2 w/ Brakes)



*Shelves Over 36" In Length Require Multiple Sections With Center Partition.



REF-N

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO MARCH 2020

STAINLESS STEEL OPEN BASE STYLE ENCLOSED BASE WORK TABLES



Item #: _____ Qty #: _____
Model #: _____
Project #: _____



Flat Top



1 1/2" Backsplash



5" Backsplash



**FEATURING BOLT-ON
STAINLESS STEEL LEG**

FEATURES:

FLAT TOP is furnished with a 1 5/8" sanitary rolled rim on the front and 1 5/8" square bend edges on the 2 sides and rear.

1 1/2" SPLASH is furnished with a 1 5/8" sanitary rolled rim on the front side and 1 5/8" square bend edges on the 2 sides and a 1 1/2" splash of single metal thickness on the rear side.

5" SPLASH is furnished with a 1 5/8" sanitary rolled rim on the front side and 1 5/8" square bend edges on the 2 sides and a 5" splash with a 1" return on the rear side.

Rear flush panel along the rear of the base unit.

CONSTRUCTION:

All TIG welded. Exposed areas finished to match adjacent surfaces.

Entire Top is mechanically polished to a satin finish and is sound deadened.

Hat section secured to Top reinforces and maintains level working surface.

UNI-BODY DESIGN sides, back and fixed mid shelf (sold separately) are welded to form a single rigid structure.

Legs bolt on to table base.

MATERIAL:

TOP is 14 gauge stainless steel type "304" series with galvanized understructure.

BODY is 18 gauge stainless steel type "430" series.

LEGS are stainless steel and include 1 1/2" adjustable hex foot.

	L	FLAT TOP	1 1/2" SPLASH	5" SPLASH	Approx. Wt.	Approx. Cu. Ft.
24" WIDE	36"	EB-SS-243	EF-SS-243	EK-SS-243	135 lbs.	30
	48"	EB-SS-244	EF-SS-244	EK-SS-244	170 lbs.	38
	60"	EB-SS-245	EF-SS-245	EK-SS-245	205 lbs.	47
	72"	EB-SS-246	EF-SS-246	EK-SS-246	242 lbs.	56
	84"	EB-SS-247	EF-SS-247	EK-SS-247	282 lbs.	66
	96"	EB-SS-248	EF-SS-248	EK-SS-248	317 lbs.	74
	108"	EB-SS-249	EF-SS-249	EK-SS-249	360 lbs.	83
	120"	EB-SS-2410	EF-SS-2410	EK-SS-2410	400 lbs.	92
30" WIDE	144"	EB-SS-2412	EF-SS-2412	EK-SS-2412	470 lbs.	109
	36"	EB-SS-303	EF-SS-303	EK-SS-303	145 lbs.	35
	48"	EB-SS-304	EF-SS-304	EK-SS-304	182 lbs.	45
	60"	EB-SS-305	EF-SS-305	EK-SS-305	220 lbs.	55
	72"	EB-SS-306	EF-SS-306	EK-SS-306	260 lbs.	66
	84"	EB-SS-307	EF-SS-307	EK-SS-307	315 lbs.	76
	96"	EB-SS-308	EF-SS-308	EK-SS-308	358 lbs.	87
	108"	EB-SS-309	EF-SS-309	EK-SS-309	400 lbs.	97
36" WIDE	120"	EB-SS-3010	EF-SS-3010	EK-SS-3010	440 lbs.	107
	144"	EB-SS-3012	EF-SS-3012	EK-SS-3012	518 lbs.	128
	36"	EB-SS-363	EF-SS-363	EK-SS-363	160 lbs.	41
	48"	EB-SS-364	EF-SS-364	EK-SS-364	206 lbs.	53
	60"	EB-SS-365	EF-SS-365	EK-SS-365	252 lbs.	65
	72"	EB-SS-366	EF-SS-366	EK-SS-366	297 lbs.	77
	84"	EB-SS-367	EF-SS-367	EK-SS-367	342 lbs.	90
	96"	EB-SS-368	EF-SS-368	EK-SS-368	440 lbs.	102
	108"	EB-SS-369	EF-SS-369	EK-SS-369	490 lbs.	114
	120"	EB-SS-3610	EF-SS-3610	EK-SS-3610	540 lbs.	126
	144"	EB-SS-3612	EF-SS-3612	EK-SS-3612	640 lbs.	151

Mid Shelves Are Available.

To Add a Fixed Mid Shelf, Add "M" After each Model Number.
Upgrade to Adjustable Mid Shelf. Add TA-116.




DETAILS and SPECIFICATIONS

TOL $\pm .500"$




Units 7' and larger are furnished with 6 legs.

ALL DIMENSIONS ARE TYPICAL




EB-Series Flat Top




EF-Series 1 1/2" Rear Splash



EK-Series 5" Rear Splash




OPTIONAL MID SHELF DETAILS



OPTIONAL ENCLOSED BASE MODIFICATIONS & ACCESSORIES

- **TA-19L** Replacement Bolt-on Leg With Flanged Bullet Foot
- **TA-20L** Replacement Bolt-on Leg
- **TA-42** Interior Partition, 2-1/2" x 30" (each)
- **TA-46** Door Locks
- **TA-54** Removable Kick Plate
- **TA-116** Cabinet Mid Shelf* (Sold Separately)
- **TA-118** Partial Mid Shelf (Sold Separately)
- **TA-255P** 5" Heavy Duty Polyurethane Casters (Set of 4 - 2 w/ Brakes)
- **TA-255AP** 5" Heavy Duty Polyurethane Casters (Set of 6 - 2 w/ Brakes)



*Shelves Over 36" In Length Require Multiple Sections With Center Partition.



REF-N

325 Wireless Boulevard, Hauppauge, NY 11788

ADVANCE TABCO is constantly engaged in a program of improving our products. Therefore, we reserve the right to change specifications without prior notice.

© ADVANCE TABCO, MAY 2019

Equipment Name	Description	Where to buy	Price
Insulated Pan Carrier 4 total and dolly	4 pan transport system	Singer	2461
		Singer	
Blodgett 31311 Rack Support Set 1 total	Oven converter to hold sheet trays or hotel pans	Singer	196.95
Blodgett 18768 Racks 4 total	Oven racks	Singer	972
Buffet warmer tabletop		Singer	2561.9
Safety shield		Singer	444.22
Wall grid drying rack system		Singer	1082.3
<i>Smallwares:</i>			
Full hotel pan 2" deep 4 total	full hotel pan 2" deep	Singer	211.32
Full hotel pan dome cover 4 total	Full hotel pan dome cover	Singer	255.08
Disher, 4 oz	Gray, Size 8 Disher, 4 oz	Singer	38.96
Spoodle, Grip N' Serve, 8 oz	Grip N' Serve, 8 oz, 12 7/16" L, Stainless	Singer	60.16
Utility Tongs 9.5" l	Utility Tongs, Jacobs Pride, 9 1/2"	Singer	64.6
Food Portioner, Prime, 1 oz spoodle	Food Portioner, Prime, 1 oz, 12 1/2" spoodle	Singer	8.04
Full sheet tray	Full size sheet tray	Singer	90
Full polycarbonate hotel pan for Cold 4" deep	Full polycarbonate hotel pan for Cold 4" deep	Singer	120.42
Full polycarbonate hotel pan for Cold 2" deep	Full polycarbonate hotel pan for Cold 2" deep	Singer	63.2
Bullet Pan cold white 4" deep	Bullet Pan cold white 4" deep	Singer	59.68
Bullet Pan cold white 2" deep	Bullet Pan cold white 2" deep	Singer	47.72
Delivery			650
			<i>Total Estimate:</i>
			9387.55

This is what the district pays for:

The district will reimburse the activity account as follows:	
Student Registration	100%
Student Lodging – State Level	33%
Student Lodging – National Level	50%
Student Transportation	100%
Student Meals	0%
Advisor Registration	100%
Lodging for Advisor and Chaperones	100%
Advisor and Chaperone Transportation	100%
Advisor Meals	100%



September 30, 2026

Re: 2027-28 Act 1 Index and Budget-Related Timelines

Dear Superintendent:

I am writing to inform you that the Pennsylvania Department of Education's (PDE) website has been updated with important information pertaining to Special Session Act 1 of 2006 (53 PS 6926).

PDE has calculated the base index for the 2027-28 fiscal year as 3.6 percent.

As defined in Section 302 of Act 1, for school districts with a market value/personal income aid ratio greater than 0.4000, an adjusted index has been calculated and posted on PDE's website at www.pa.gov/education. Select Programs and Services, Schools, Budget and Finance, then Property Tax Relief. This page can also be visited directly at www.education.pa.gov/PropertyTax.

In addition, a timeline of events relating to the 2027-28 budget process has been created and is also available on PDE's website. This document lists both important dates and required events occurring between September 2026 and December 2027.

By the end of October 2026, the Consolidated Financial Reporting System (CFRS) will be opened for reporting of either the 2027-28 'Preliminary General Fund Budget' or 'Resolution Not to Exceed Index.' A separate notification e-mail will be sent following the opening of CFRS-GFB.

Questions should be directed to ra-PropertyTax@pa.gov.

Sincerely,

A handwritten signature in black ink that reads "Benjamin T. Hanft".

Benjamin T. Hanft, Deputy Director
Bureau of Financial Operations

cc: Chief Business Official

Timeline for Events Related to 2027-2028 Budget Process

Special Session Act 1 of 2006

Dates in Timeline Apply to All School Districts except
Philadelphia City SD, Pittsburgh SD, and Scranton SD

Date	Description	Section
September 1, 2026 <i>(Annual deadline)</i>	Department of Education publishes the 2027-2028 base index in the Pennsylvania Bulletin.	Section 333(l)
September 30, 2026 <i>(Annual deadline)</i>	Department of Education notifies school districts of their 2027-2028 adjusted index.	Section 313(2)
December 15, 2026 <i>(Annual deadline)</i>	School districts with residents paying tax on compensation imposed by Philadelphia under the authority of the Sterling Act certify to the Department of Education the total amount of 2025 tax credits provided based on the tax rate of the school district. (Applies only to school districts that had an earned income and net profits tax in the 2025 calendar year.)	Sections 503(b)(2); 324(2)
December 29, 2026 <i>(30 days prior to preliminary budget public inspection deadline)</i>	Department of Education deadline to notify school districts of school year of AFR data to be used when calculating referendum exception in Section 333(f)(2)(v).	Section 333(j)(4)
December 31, 2026 <i>(60 days prior to March 1 application deadline)</i>	School Districts send notification, by first class mail, to owners of each parcel of residential property – which can be limited to owners who are not currently approved or whose approval is due to expire – stating that the owner must submit a completed application to county assessor to qualify for homestead exclusion. Mailing must include application, instructions, and deadline to apply.	Section 341(b)
January 28, 2027 <i>(110 days prior to primary election)</i>	School district deadline to make 2027-2028 proposed version of preliminary budget available for public inspection or adopt resolution pursuant to Section 311(d)(1) indicating that it will not raise the rate of any tax by more than its index.	Section 311(c); 311(d)(1)
February 2, 2027 <i>(5 days after resolution adoption)</i>	School district deadline to submit a copy of resolution adopted pursuant to 311(d)(1) and proposed tax rate increases to Department of Education in the Consolidated Financial Reporting System (CFRS) application.	Section 311(d)(2)
February 7, 2027 <i>(10 days prior to preliminary budget adoption deadline)</i>	School district deadline to give public notice of the intent to adopt the 2027-2028 preliminary budget unless resolution was adopted under Section 311(d)(1) indicating that it will not raise the rate of any tax by more than its index.	Section 311(c)

Taxpayer Relief Act, SS Act 1 of 2006: Timeline for Events Related to 2027-2028 Budget Process

Date	Description	Section
February 12, 2027 (10 days after receipt of resolution)	Department of Education deadline to notify school districts that adopted a resolution pursuant to Section 311(d)(1) whether the 2027-2028 proposed tax rates are equal to or less than their Index.	Section 311(d)(4)
February 17, 2027 (90 days prior to primary election)	School district deadline to adopt the 2027-2028 preliminary budget unless resolution adopted under Section 311(d)(1).	Section 311(a)
February 22, 2027 (85 days prior to primary election)	School district deadline to submit 2027-2028 preliminary budget containing proposed tax rate increases to Department of Education in the CFRS application.	Section 333(e)
February 25, 2027 (1 week prior to filing of request for referendum exception)	School district deadline to publish notice in newspaper of intent to request approval from Department of Education for a referendum exception.	Section 333(j)(2)
No later than March 1, 2027 (Annual deadline)	Deadline for homeowners to file a homestead application (and, if applicable, a farmstead application) with county assessor indicating property is owner-occupied. Resubmission of application required no more than one time every three years. No application fee for filing. (See December 31, 2026)	Section 341(c), (e), (i)
March 4, 2027 (75 days prior to primary election)	Department of Education deadline to notify school districts that submitted the 2027-2028 preliminary budget whether the proposed tax rates are equal to or less than their Index.	Section 333(e)
March 4, 2027 (75 days prior to primary election)	School district deadline to seek approval from Department of Education for referendum exceptions requiring their approval.	Sections 333(j)
March 19, 2027 (60 days prior to primary election)	School district deadline to submit referendum question seeking voter approval of tax rate increase in excess of index to the county board of elections (for each county in which the school district is located), unless request for referendum exception has been submitted to Department of Education. If the school district's proposed tax rate increase would exceed their Index even if all its referendum exception requests were approved, and if it intends to submit a referendum question for that part of the tax rate increase, it must do so by this date.	Section 333(c)(3)
March 24, 2027 (55 days prior to primary election)	Deadline for Department of Education to issue ruling on school district's petition for referendum exception.	Sections 333(j)(5)

Taxpayer Relief Act, SS Act 1 of 2006: Timeline for Events Related to 2027-2028 Budget Process

Date	Description	Section
March 29, 2027 (50 days prior to primary election)	School district deadline, if the Department of Education denies all or a part of the school district's request for referendum exception, to submit to the county board of elections referendum question seeking voter approval of tax rate increase in excess of index for the portion of the referendum exception request denied.	Sections 333(j)(5)
April 15, 2027 (Annual deadline)	Secretary of the Budget certifies the total amount of revenue in the Property Tax Relief Fund and the Property Tax Relief Reserve Fund and the total amount available for distribution in 2027-2028.	Section 503(a)(1), (e)
April 20, 2027 (Annual deadline)	Secretary of the Budget notifies Department of Education whether it is authorized to provide school districts with property tax allocations under Section 505.	Section 503(d)
May 1, 2027 (Annual deadline)	Department of Education notifies school districts of the amount of their state allocation of property tax reduction funding. This only occurs if the Secretary of the Budget certifies, by April 15, 2027, that there are enough funds in the Property Tax Relief Fund to make a distribution to school districts in 2027-2028.	Section 505(a)(4)
May 1, 2027 (Annual deadline)	Assessor provides each school district with a certified report with information on homestead and farmstead properties, as provided in 53 Pa CS §8584(i).	Section 341(g)(3)
Prior to May 18, 2027	Municipal Primary election. County election officials, in conjunction with board of school directors, shall draft a non-legal interpretive statement to accompany referendum question that references items of expenditure for which tax rate increases are being sought. (See March 19 or March 29, 2027)	Section 333(c)(4)
No later than May 31, 2027 (Optional action)	Deadline for school district board of directors electing to adopt resolution rejecting 2027-2028 property tax allocation. This action can only occur if the Department of Education has notified school districts by May 1, 2027, that there are enough funds in the Property Tax Relief Fund to make a distribution to school districts in 2027-2028. (This action applies only if a school district has not rejected a previous state property tax allocation.)	Section 903(a)
No later than May 31, 2027	School district deadline to adopt 2027-2028 proposed version of final budget and upload the signed Certification of Use document in the CFRS application.	Section 687(a)(1) (School Code)
June 5, 2027	School district deadline to submit copy of resolution (if adopted) rejecting 2027-2028 property tax allocation to Department of Education. (See May 31, 2027.)	Section 903(b)

Taxpayer Relief Act, SS Act 1 of 2006: Timeline for Events Related to 2027-2028 Budget Process

Date	Description	Section
June 10, 2027 <i>(20 days prior to final budget adoption deadline)</i>	School district deadline to make 2027-2028 proposed final budget available for public inspection on the General Fund Budget from the CFRS application.	Section 312(c)
June 20, 2027 <i>(10 days prior to final budget adoption deadline)</i>	School district deadline to offer public notice of its intent to adopt the 2027-2028 final budget.	Section 312(c) Section 687(a)(2)(i) (School Code)
June 30, 2027 <i>(Annual deadline)</i>	School district deadline to adopt the 2027-2028 final budget.	Section 312(a)
June 30, 2027 <i>(Annual deadline)</i>	School district deadline to adopt a resolution implementing the homestead/farmstead exclusion. For school districts whose voters did not approve a local income tax for the purpose of providing homestead/farmstead exclusions, this only occurs if the Department of Education has notified school districts by May 1, 2027, that there are enough funds in the Property Tax Relief Fund to make a distribution to school districts in 2027-2028.	Section 321(d), 342, 505(a)(4)
July 15, 2027 <i>(Annual deadline)</i>	School district deadline to submit 2027-2028 final budget to Department of Education in the CFRS application.	Section 687(b) (School Code)
No later than August 4, 2027 <i>(60 days after receipt of resolution)</i>	Department of Education deadline to notify election officials of each county of the school districts in that county that have taken action to reject their 2027-2028 property tax relief allocation under Section 903(a). (See May 31, 2027.)	Section 904(b)
August 26, 2027	Department of Education pays school districts 50 percent of their state allocation of property tax reduction funding. This only occurs if the Secretary of the Budget certifies, by April 15, 2027, that there are enough funds in the Property Tax Relief Fund to make a distribution to school districts in 2027-2028.	Section 505(b)
October 28, 2027	Department of Education pays school districts 50 percent of their state allocation of property tax reduction funding. This only occurs if the Secretary of the Budget certifies, by April 15, 2027, that there are enough funds in the Property Tax Relief Fund to make a distribution to school districts in 2027-2028.	Section 505(b)
December 1, 2027	Deadline for school districts to report to the Department of Community and Economic Development, tax enactments, repeals, and changes to require withholding of a new tax, withholding at a new rate or to suspend withholding of such tax effective January 1, 2028.	Section 351(f)(2)